



# Absorbents & Spill Control Catalog

[BradyID.com/SPC](http://BradyID.com/SPC)

# Welcome to Brady SPC

A name you can trust. Innovative absorbent and spill control products you can rely on.




## A history of reliability.

Since its founding in Somerset, New Jersey nearly 40 years ago, SPC has been successfully developing, manufacturing and shipping absorbent products. Throughout the decades, our customers have relied on SPC products to help them prevent slips, trips and falls within their facilities.


### **Our Guiding Principles:**

- Developing high quality products appropriately suited to your needs
- Providing unmatched service levels
- Leveraging our industry-leading sales force to recommend the right products for the right application





## Table Of Contents

<b>Learning Center &amp; Guides .....</b>	<b>4</b>	
<b>Universal Pads &amp; Rolls .....</b>	<b>15</b>	
<b>Oil Only Pads &amp; Rolls .....</b>	<b>33</b>	
<b>Chemical Pads &amp; Rolls .....</b>	<b>47</b>	
<b>SOCs, Pillows &amp; Drum Covers...</b>	<b>55</b>	
<b>Mats &amp; Rugs .....</b>	<b>63</b>	
<b>Marine Absorbents .....</b>	<b>73</b>	
<b>Granular &amp; Neutralizers.....</b>	<b>77</b>	
<b>Safety Absorbents.....</b>	<b>81</b>	
<b>Spill Kits &amp; Containment.....</b>	<b>87</b>	
<b>Facility Safety Products.....</b>	<b>110</b>	
<b>Reference &amp; Index .....</b>	<b>111</b>	

# A future of innovation.

Absorbents and spill control products are our focus. At Brady SPC, we've invested in our people, processes and facilities to ensure that we provide you with the best products for all of your spill control needs. We're here to support you – every step of the way.



## New State-of-the-art Facility

2014 marked the beginning of a new chapter for Brady SPC in Louisville, Kentucky. Supported by a state-of-the-art facility, our investment provides you with:

- Increased manufacturing capacity to handle most any request
- Improved geographic positioning for better service



## Product Innovation

Product performance and an emphasis on safety continue to permeate everything we do. Backed by a history of innovation, we're committed to developing differentiated products that align with customer needs while maintaining costs.




## Dedicated SPC Team

Not sure where to start? Have questions about a specific product? You can count on our industry leading sales team to help. Our inside sales representatives are ready to take your call, understand your needs and provide you with the right solution, while our outside sales managers will work with you onsite to find the right solution.

## Distribution Locations and Sales Support Across the US

In addition to our reliable products, we support our customers through unmatched sales expertise. Strategic warehouses positioned around the United States will help to ensure your spill products are delivered efficiently.





## **Did you know?**

All SPC meltblown polypropylene products are made in Louisville, Kentucky.



## Why Is Spill Control Important?

When a spill occurs, having a proper spill control program that enables quick and effective response can not only help to protect the environment, but also support a safe and productive workplace for your employees.

Brady SPC supplies products that help you comply with EPA and OSHA regulations. Why does that matter? Because our goal is to help support high levels of productivity and to limit equipment down time. The cost of non-compliance around this area of regulation can have devastating effects on a business's reputation and financial performance.

The EPA issued its final rule amending SPCC requirements under the authority of the Federal Water Pollution Control Act. This regulation became effective as of August 16, 2002.



The new Poly-Edge Truck Mountable Spill Kit is designed to help you meet DOT spill containment regulations.

### ► Need To Know Regulations

The following OSHA and EPA regulations protect your employees and the environment;

#### **29 CFR 1910.22(a)(2) – Walking-Working Surfaces**

The floor of every workroom shall be maintained in a clean and, so far as possible, a dry condition. Where wet processes are used, drainage shall be maintained, and false floors, platforms, mats, or other dry standing places should be provided where practicable.

#### **40 CFR 112.7(c)(1)(viii) – General requirements for Spill Prevention, Control, and Countermeasure Plans**

Sorbent materials are included in the types of prevention systems that must be used for spill containment.

#### **29 CFR 1910.120(j)(1)(vii)**

U.S. Department of Transportation specified salvage drums or containers and suitable quantities of proper absorbents shall be kept available and used in areas where spills, leaks, or ruptures may occur.



## What is a SPCC Plan & Do I Need One?

A Spill Prevention Control & Countermeasure (SPCC) plan is a facility-specific, comprehensive plan outlining both the containment and countermeasures implemented to prevent a spill from occurring and a series of response procedures in the event that one does. The SPCC plan addresses the following three areas:


- Operating procedures that prevent spills
- Control measures installed to prevent a spill from reaching the environment
- Countermeasures to contain, clean-up and mitigate the effects of an oil spill that reaches the environment

Having a SPCC plan in place is an essential step to help companies avoid the costly impact of non-compliance, including fines as high as \$25,000 per day per violation.



## Where Do Spills Occur?

Not bound by the SPCC regulations? Having absorbents and spill kits on hand is still essential. The following facility diagram shows where spills most commonly occur. Take a look at these areas and keep them in mind when developing a spill control plan to help keep your facility safe and compliant.



1

### Exterior Bulk Storage

Oil only products are ideal for outdoor leaks and spills absorbing oil and repelling water.



2

### Interior Fluid Storage

Consider specialty items like drum top covers and spill pallets to manage all types of leaks.



3

### Machinery & Equipment


SOCs surround machinery to prevent leaks while pillow are placed underneath.



4

### Shipping & Receiving

Keep spill kits near any entrances to prevent spills from reaching the environment. Industrial rugs are durable enough for fork lift traffic.



5

### Production, Assembly & Maintenance

Make sure to have plenty of pads and rolls on hand. These general purpose items come in a variety of sizes to support your facility needs.



## ▶ Not Sure Where to Start? Let SPC Experts Help.

We understand that surveying a facility for potential trouble spots, proper absorbent usage and product selection can be extremely time consuming and confusing. But we also believe that it can be extremely beneficial.


- **Free Absorbent Survey**

Brady's Absorbent Survey is a free service designed to help a facility keep its employees and its equipment safe. This detailed survey asks the right questions and identifies how Brady SPC and its distributors can provide solutions for the proper use of absorbents in the plant. Many organizations use these surveys as an "Environmental Audit" and keep them on file.

- **Cost Savings Worksheet**

Seeing is believing! This simple worksheet helps you compare the absorbents you are currently purchasing with our recommendations – quickly showing you the price difference and your cost savings.

Contact your  
Brady SPC  
Representative for  
more information  
or for assistance  
selecting the right  
absorbents for your  
facility.





## Do you know OSHA's recent silica ruling?

One of the most common compositions for granular absorbents is diatomaceous earth, which is **80-90% silica based**.

OSHA's recent final rule on limiting exposure to respirable crystalline silica was issued to curb lung cancer, silicosis, chronic obstructive pulmonary disease and kidney disease.

All of which have been linked to high levels of silica.

Rely on Brady SPC absorbent pads and rolls as a safer, more efficient, non-silica solution for absorbing leaks, drips and spills.





## ▶ Making the Switch to Absorbents

No facility is free from leaks, drips and spills. And when it comes to keeping your employees and the working environment safe, you need a reliable and cost-effective absorbent solution.

Take a look at the below comparisons between granular, rags and SPC absorbent pads to determine what solution best fits your needs.

### Granular

- **Pros:** Low cost per bag and product familiarity
- **Cons:** Messy, very low absorbency ratio (generally 1:1), labor intensive clean up and high disposal costs

### Laundered Rags

- **Pros:** Recycled and full system (products and disposal supported by the supplier)
- **Cons:** After each laundering, the rags lose some of their absorbency. Hard metals can never be completely removed, leading to significant health risks through exposure

### SPC Absorbent Pads

- **Pros:** Absorb an average of 20x their weight in liquid, offer multiple configurations and constructions and lower disposal costs
- **Cons:** Higher up-front cost

<b>Material Details</b>	<b>Granular</b> (40 lb bag)	<b>Rags</b> (200 pads/drum)	<b>SPC Pads</b> (100 pads/case)	
Gallons Absorbed Per Week	20	20	20	gallons
Total Material Used	4 bags	170 rags	77 pads	per week
Total Material Costs	\$24	\$128	\$77	per week
<b>Labor Details</b>				
Labor Hours for Clean-Up	1	0.3	0.3	hours/week
Total Labor Costs	\$20	\$7	\$7	per week
<b>Disposal Details</b>				
Drums Disposed Per Week	1	(included)	0.15	per week
Total Disposal Costs	\$200	(included)	\$30	per week
<b>Savings Summary</b>				
Weekly Cost	\$244	\$135	\$114	per week
Annual Cost	\$12,688	\$7,020	\$5,947	per year
Total Cost After 5 Year	\$63,440	\$35,100	\$29,733	over 5 years

**\$33,667 or 47% Savings**  
**When Using SPC Pads Over Granular**

\*Values shown are for example purposes only and are based on average costs as published in 2016. Costs and savings may vary.

# Choosing Your Absorbents




## Step One: Know What You're Absorbing

### Water- or Oil-Based Fluids

SPC Recommends: **Universal Absorbents**

Use around machinery, under leaky pipes, in messy traffic areas or for general maintenance projects. Re-Form™ universal absorbents made of recycled materials offer an environmentally friendly solution.




Universal For  
Water- or Oil-Based Fluids

- Coolants
- Solvents
- Gasoline
- Kerosene
- Vegetable Oil
- Latex Paint

### Oil-Based Fluids Outdoors/Water Repelling

SPC Recommends: **Oil Only Absorbents**

Specialized for oil and other petroleum-based spills including paints and non-water soluble chemicals, these absorbents will not absorb water and will float indefinitely. Re-Form™ oil only absorbents made of recycled materials offer an environmentally friendly solution.



Oil Only For  
Oil-Based Fluids  
(Repels Water)


- Hydraulic Oil
- Motor Oil
- Brake Fluid
- Cooking Oil
- Turpentine
- Lubricants

### Hazardous Chemical Fluids

SPC Recommends: **Chemical Absorbents**

Surfactant-treated polypropylene absorbents can be used on a wide range of chemicals, including hydrofluoric acid. They are chemically inert, so they will not react with aggressive fluids.

Keep in mind that absorbents take on the properties of whatever they absorb, so the bright color provides a visual indication to separate waste streams.



Chemical For  
Hazardous Fluids

- Acids & Bases
- Citric Acid
- Sodium Hydroxide
- Aggressive Chemicals

### ▶ Looking to Save Time, Effort and Money?

Use a mid- to high-level universal product, like MRO100, as the standard in your facility. It's construction can be used on a wide variety of applications and with a standardized absorbent, you will not have to manage the inventory of multiple items.

**See all MRO Plus absorbents on page 18.**



# Choosing Your Absorbents

## 2 Step Two: Identify Your Application



### General Purpose Wiping, Drips & Leaks

#### SPC Recommends: Pads, Rolls, Socs & Pillows

Pre-cut pads and perforated rolls provide easy access to absorbents for general purpose use around your facility. Use specialized SOCs and pillows around or underneath dripping equipment.



### Heavy Foot & Forklift Traffic

#### SPC Recommends: Mats & Rugs

Mats and rugs offer greater durability to withstand harsh conditions. Barrier-backed options prevent liquid from penetrating the absorbent and reaching the floor underneath while printed mats warn of possible slips, trips and fall hazards.



### Emergency Spill Response

#### SPC Recommends: Spill Kits, Pallets, Drain Plugs

Spill kits bundle together all of the necessary products to clean up an unexpected spill. Other spill containment options include spill pallets, drain plugs and absorbent storage centers.



### Specialty Absorbents

#### SPC Recommends: Marine or Granular Products

Marine environments require boom, sweep and drag nets to remove fluids in or near bodies of water. Granular absorbents are available when loose absorbents are preferred or when acid/base neutralization is required prior to spill clean-up.

# Choosing Your Absorbents

## ▶ 3 Step Three: Select Absorbent Features

### Coverstock

Durability of an absorbent increases with the addition of a coverstock layer.

- For simple drips or leaks, a 1-ply absorbent is all you need.
- For wiping or foot traffic, a 3-ply absorbent will offer the necessary durability.
- For abrasive applications, a pad with spunbond coverstock helps to reduce linting or tearing.



#### 3-ply Construction *(2-Sides Coverstock)*

Two layers of coverstock offer maximum durability and reduce possible linting or tearing.

#### 2-ply Construction *(1-Side Coverstock)*

A single layer of coverstock offers medium durability and linting.

#### 1-ply Construction *(No Coverstock)*

Economical single-ply has lower durability resulting in high linting and tearing.

### Absorbency Weight

The absorbency weight can make a significant difference in how much product is required.

- For small spills, choose a light or medium weight product to avoid waste.
- For large spills or continuous leaks, choose a heavy weight product to reduce total material used.



#### Under-Saturated

Absorbents aren't being used to their full potential. You're throwing money away!



#### Over-Saturated

Absorbents aren't cleaning the whole spill. Increase the weight to get the job done with less product.

### Dimpled Surface

Dimpling increases product strength for areas requiring greater durability.

Smooth absorbents have greater surface area and are more absorbent per square inch compared to similarly constructed, dimpled products.



#### Non-Dimpled


Offers more absorbent surface area.

#### Dimpled

Provides increased durability.


### Perforations

Perforations provide a variety of size options all in one product by allowing you to quickly tear off exactly what is needed to contain the spill.




#### Single Perf

Featured on many pads & rolls.




#### Double Perf

Featured on many rolls and mats.



#### Triple Perf

Unique to the High Traffic Universal rolls.



# Universal Absorbency

ALL-PURPOSE INDOOR SPILL CONTROL

## Universal Absorbency for Water- or Oil-Based Fluids

All-purpose absorbents clean-up oils, coolants, solvents and water-based fluids anywhere in your facility.

Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects – they are your first choice for indoor spill control. Plus, their gray color masks spills and stains, helping you resist the urge to pick up the absorbent before it is fully saturated.

### Universal Absorbent Family:

All universal pads and rolls start with a highly absorbent polypropylene core. From there, it's all about the application. Product families feature different weights, coverstocks and finishing to provide the right solution for your needs.



### ▶ Liquids Absorbed:

- Coolants
- Solvents
- Oils
- Latex paint
- Gasoline
- Vegetable oil
- Kerosene
- Water-based fluids

### ▶ Popular Applications:

- Wiping tools
- Small spills
- Under leaky pipes
- Around liquid storage containers
- Around machinery
- In messy traffic areas
- Under dripping valves
- General purpose maintenance



Wiping



Drips



Spills



# Universal Absorbency

		Product Family	Durability	Linting	Absorbency Weights	Cost	Coverstock
<b>Best Sellers</b>	General purpose drips, spills & wiping applications	<b>MRO Plus</b> (Pads & Rolls)	✓✓✓	Medium Linting	Heavy Medium Light	\$\$\$	Top & Bottom Fine-Fiber Coverstock (3-Ply)
		<b>GP General Purpose</b> (Pads & Rolls)	✓✓	Medium Linting	Heavy Medium Light	\$\$	No Coverstock (1-Ply)
		<b>BASIC Universal</b> (Pads & Rolls)	✓	High Linting	Heavy Light	\$	No Coverstock (1-Ply)

<b>Specialty Applications</b>	Camouflaged for foot or forklift traffic, walkways & workstations	<b>Battlemat</b> (Rolls)	✓✓✓	Low Linting	Heavy	\$\$\$	Top Durable Spunbond Coverstock (2-Ply)
	Safety printed coverstock for foot traffic & walkways	<b>HT High Traffic</b> (Rolls)	✓✓	Low Linting	Heavy Medium Light	\$\$	Top Durable Spunbond Coverstock (2-Ply)
	For abrasive wiping or low linting applications	<b>UXT Xtra Tough</b> (Pads & Rolls)	✓✓✓	Low Linting	Heavy Medium Light	\$\$\$	Top & Bottom Spunbond Coverstock (3-Ply)
	Portable pocket-sized for small spills	<b>Spill Response Plus</b> (Pads & Rolls)	✓✓✓	Medium Linting	Heavy	\$\$	Top & Bottom Fine-Fiber Coverstock (3-Ply)

<b>Eco-Friendly</b> (Made of minimum 80% recycled material)	High absorbency for drips, spills & wiping	<b>Re-Form Pro Plus*</b> (Pads)	✓✓✓	Medium Linting	Heavy	\$\$\$	Top & Bottom Fine-Fiber Coverstock (3-Ply)
	Foot traffic, walkways & workstations	<b>Re-Form XPlus*</b> (Pads & Rolls)	✓✓	Medium Linting	Medium	\$\$\$	Top & Bottom Coverstock (3-Ply)
	General purpose drips, spills & wiping	<b>Re-Form Plus*</b> (Pads & Rolls)	✓✓	Medium Linting	Heavy Medium Light	\$\$	Top Coverstock (2-Ply)
	General purpose drips, spills & wiping	<b>Re-Form*</b> (Pads)	✓	High Linting	Heavy Medium Light	\$	No Coverstock (1-Ply)

\*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.

# Universal Absorbency

★★★★Best

★★Better

★Good



Universal Pads & Rolls

## Product Summary:

**Absorbs:** Oils, Coolants, Solvents and Water-based Fluids

**Coverstock:** Top & Bottom Coverstock (3-Ply)

**Durability:** ✓✓✓

**Linting:** Medium Linting

**Absorbencies:** Heav, Medium & Light Weight

**Cost:** \$\$\$

## Recommended For:

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under assembly lines or equipment
- Maintenance areas and liquid storage areas

## MRO Plus® Absorbents

Brady SPC's number one universal absorbent and the standard in all-purpose, gray maintenance absorbents.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- 3-ply (MMM) meltblown polypropylene construction increases durability and reduces lint

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Gray Color:** Masks spills, reducing the urge to replace absorbents before fully saturated



## MRO Plus® Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
MRO50	Heavy Wt. Pad	30"x30"	Yes, 15"	12.5	41	26.5	11	50/case
MRO150DND	Heavy Wt. Pad*	15"x19"	Yes, 7.5"	12.5	39	27	18	150/case
MRO100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case
MRO100-2	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	13.5	8	36	50/bale
MRO300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14	30	100/case

\*Features Dispense-N-Dispose® System



## MRO Plus® Rolls

Continuous rolls are ideal for covering larger areas.

Perforations make it easy to select smaller sizes when needed.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
MRO30-DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	49	32	12	1/case
MRO30P	Heavy Wt. Roll	30"x150'	Yes, every 30"	12.5	49	32	12	1/case
MRO30	Heavy Wt. Roll	30"x150'	No	12.5	49	33	12	1/case
MRO15-DP	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	24	17.5	24	1/case
MRO15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	24	17.5	24	1/case
MRO15	Heavy Wt. Roll	15"x150'	No	12.5	24	17.5	24	1/case
MRO350-DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	38	26.5	12	1/case
MRO315P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	20	14	24	1/case
MRO215P	Light Wt. Roll	15"x150'	Yes, every 18"	12.5	12	8	24	1/case

### ▶ Dispense-N-Dispose® System:

MRO150DND features 150 heavy weight pads in a unique Dispense-N-Dispose® system - packaging doubles as a dispenser and a disposal bin all at once.



# Universal Absorbency

★★★Best

★★Better

★Good

Universal Pads & Rolls



## Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Coverstock:** No Coverstock (1-Ply)
- Durability:** ✓✓
- Linting:** Medium Linting
- Absorbencies:** Heavy, Medium & Light Weight
- Cost:** \$ \$

## Recommended For:

- Anywhere there is a leak, spill or drip
- Ideal for industrial settings such as machine shops, maintenance, manufacturing
- Under leaky pipes and machinery

## GP - “General Purpose” Absorbents

Economical general purpose absorbents offer the look, feel and performance of a premium product.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Efficient single-ply construction with MAXX® Technology – absorption and strength without the extra weight

## Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Gray Color:** Masks spills, reducing the urge to replace absorbents before fully saturated



## GP Universal Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
GP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	30	11.5	30	100/case
GP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	20	25	10	30	100/bale
GP200	Light Wt. Pad	15"x19"	Yes, 7.5"	20	44	16	22	200/case
GP500	Light Wt. Pad	15"x19"	Yes, 7.5"	20	22	8.2	30	100/case
MXU1000	Light Wt. Pad (non-dimpled)	15"x19"	Yes, 7.5"	24	27	11	30	100/case



## GP Universal Rolls

Continuous rolls are ideal for covering larger areas.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
GP30	Heavy Wt. Roll	30"x150'	No	13	48	28	12	1/bale

### ▶ Save on Disposal Costs with MAXX Absorbents

Brady SPC's innovative MAXX technology process produces high absorbency products with reduced weight. You'll use fewer pads to clean-up a spill and will have lower overall disposal weights and costs.

# Universal Absorbency

★★★ Best  
★★ Better  
★ Good



Universal Pads & Rolls

## Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Coverstock:** No Coverstock (1-Ply)
- Durability:** ✓
- Linting:** High Linting
- Absorbencies:** Heavy & Light Weight
- Cost:** \$

## Recommended For:

- Anywhere there is a leak, spill or drip
- General industrial applications
- Manufacturing, Printing and Transportation

## BASIC Universal Absorbents

Value-priced universal all-purpose absorbent.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Economical single-ply pads & rolls made of universal meltblown polypropylene

## Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Gray Color:** Masks spills, reducing the urge to replace absorbents before fully saturated



## BASIC Universal Pads

Pre-cut pads are ideal for small leaks and drips.

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
BPU100	Heavy Wt. Pad	15"x17"	Yes, 7.5"	18	20.5	8.5	30	100/bale
BPU200	Light Wt. Pad	15"x17"	Yes, 7.5"	18	34	13.7	24	200/bale
BPU500	Light Wt. Pad	15"x17"	Yes, 7.5"	18	17	7	36	100/bale



## BASIC Universal Rolls

Continuous rolls are ideal for covering larger areas.

Perforations make it easy to select smaller sizes when needed.

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
BRU150	Heavy Wt. Roll	30"x150"	Yes, every 30"	14.5	38	19.5	18	1/bale
BRU152	Heavy Wt. Split Roll	15"x150"	Yes, every 30"	14.5	38	19.5	18	2/bale

### ▶ Request A Sample Pack

Visit [BradyID.com/SPC](http://BradyID.com/SPC) to request a free sample pack to see what SPC absorbents can do for you!



# Universal Absorbency

**Specialty Product:  
For High  
Traffic**



## BattleMat® Absorbents

Tough camouflage patterned roll hides leaks and drips and is ideal for areas with moderate foot traffic.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Durable 2-ply construction is ideal for use in high traffic areas - foot or forklift traffic
- Abrasion-resistant upper layer helps reduce linting while meltblown fibers grip the floor below

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Camouflaged Pattern:** Masks spills, reducing the urge to replace absorbents before fully saturated

### Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Coverstock:** Camouflaged Printed Top Coverstock (2-Ply)
- Durability:** ✓✓✓
- Linting:** Low Linting
- Absorbencies:** Heavy Weight
- Cost:** \$\$\$

### Recommended For:

- Extra tough for foot & forklift traffic
- Walkways and high traffic areas
- Where there's a need to mask spills
- Under assembly lines, equipment or vehicles



Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>BattleMat Rolls</b>								
BM30	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	53	34.5	12	1/case
BM15	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	26	17	24	1/case



**Specialty Product:  
For High  
Traffic**



## HT - "High Traffic" Absorbents

Multi-use absorbent built for durability and high absorbency in "high traffic" and busy problem areas.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- 2-ply construction with safety printed coverstock reduces linting and increases durability while meltblown fibers grip the floor below

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Printed Safety Message:** Warns of slip, trip and fall hazards due to liquid spills

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Coverstock:** Safety Printed Top Coverstock (2-Ply)
- Durability:** ✓✓
- Linting:** Low Linting
- Absorbencies:** Heavy, Medium & Light Weight
- Cost:** \$ \$

### ▶ Recommended For:

- Extra tough for foot & walkways
- Printed safety message for areas where slips, trips and falls may occur

**Printed safety message warns of slip, trip and fall hazards**



Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>HT Rolls</b>								
HT30	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	47	32	12	1/case
HT555	Heavy Wt. Roll*	15"x150'	Yes (3), 5" and every 18"	12.5	23	16	24	1/case
HT15	Heavy Wt. Roll	15"x150'	Yes, every 15"	12.5	23	16	24	1/case
HT303	Medium Wt. Roll	30"x300'	Yes, 15" and every 15"	12.5	63	40	8	1/bale
HT350	Medium Wt. Roll	30"x150'	Yes, 15" and every 18"	12.5	35	20	12	1/bale
HT153	Medium Wt. Roll	15"x300'	Yes, every 15"	12.5	32	20	16	1/bale
HT230	Light Wt. Roll	30"x300'	Yes, 15" and every 15"	12.5	42.5	29.5	8	1/bale
HT215	Light Wt. Roll	15"x300'	Yes, every 15"	12.5	21.5	15	16	1/bale

\* Does not include print.

**Specialty Product:  
For High  
Abrasion**



## UXT - “Xtra Tough” Absorbents

Extra tough absorbents for applications that require high durability, non-linting and abrasion-resistance.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- 3-ply construction with coverstock on both sides maximizes durability and minimizes linting
- Extra strength allows for wringing and re-use

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Coverstock:** Top & Bottom Coverstock (3-Ply)
- Durability:** ✓ ✓ ✓
- Linting:** Low Linting
- Absorbencies:** Heavy, Medium & Light Weight
- Cost:** \$ \$ \$

### ▶ Recommended For:

- Wiping highly abrasive surfaces such as tools and machinery
- Machining, maintenance or food processing



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>UXT Pads</b>								
UXT100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	11	19.5	14.5	30	100/case
UXT300	Medium Wt. Pad	15"x19"	Yes, 7.5"	11	17	12	30	100/case
UXT200	Light Wt. Pad	15"x19"	Yes, 7.5"	11	31.5	18.5	22	200/case
<b>UXT Rolls</b>								
UXT30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	11	37	27.5	12	1/case
UXT15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	11	17	14.5	24	1/case

**Specialty Product:  
Portability  
& Small  
Spills**



## Spill Response Plus Universal Absorbents

Convenient, portable size perfect for employees to fold or carry in their pockets for small spills.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Fine fiber coverstock on each side increases product versatility

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Small Size:** Clean up minor spills without wasting material

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Coverstock:** Top & Bottom Coverstock (3-Ply)
- Durability:** ✓✓✓
- Linting:** Medium Linting
- Absorbencies:** Heavy Weight
- Cost:** \$\$

### ▶ Recommended For:

- Anywhere there is a leak, drip or spill
- Janitorial & Maintenance
- Hospitality & Retail



Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Spill Response Plus Universal Pads</b>								
SRP100	Heavy Wt. Pad	7.5"x10"	No	12.5	5.5	4	96	100/case
SRP200	Heavy Wt. Pad	7.5"x10"	No	12.5	11.1	7.5	48	200/case
<b>Spill Response Plus Universal Rolls</b>								
SRP75P	Heavy Wt. Roll*	7.5" x 50'	Yes, 10"	12.5	3.3	1.85	60	1/bale

# Universal Absorbency

## Re-Form™ Eco-Friendly Universal Absorbents for Water- or Oil-Based Fluids



Re-Form absorbent pads and rolls are eco-friendly, green products made of recycled materials. They feature the same universal absorbency as their polypropylene counterparts, making them ideal for coolants, solvents, oils and other water-based or petroleum-based fluids.

Re-Form absorbent materials have been tested to absorb 25-50% more than polypropylene materials which means you'll use less product to absorb the same size spill.

### Re-Form™ Absorbents Provide:

**Better Absorbency:** Tested to be 25-50% more absorbent than standard polypropylene absorbents, so you'll use less product to get the job done.

**Cost Savings:** Increased absorbency means reduced waste and greater cost savings.

**Green Product:** Made from a minimum of 80% recycled fibers, unlike standard polypropylene absorbents. High absorbency recycled materials give the products their greenish-blue color. A green product in more ways than one!

**Sustainability:** Supports corporate sustainability and LEED initiatives.

**Class A Fire Retardant:** Re-Form™ Absorbents meet NFPA Class A Fire retardancy.

#### ▶ Why Perforations?

Perforated pads and rolls allow you to quickly choose as large or as small of an absorbent as you need - cutting back on waste within your facility.



**Specialty Product:  
Eco-Friendly**



## Re-Form™ Pro Plus Absorbents

The look, feel and performance of a traditional absorbent, but made from 90% recycled fibers.

- Universal absorbency to handle most fluids (water, petroleum and non-aggressive chemicals)
- Durable 3-ply construction is made of 90% recycled materials
- Extremely absorbent: absorbs 20 times its weight

### Additional Features:

- **Eco-Friendly:** Supports corporate sustainability and LEED initiatives
- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Coverstock:** Top & Bottom Coverstock (3-Ply)
- Durability:** ✓ ✓
- Linting:** Medium Linting
- Absorbencies:** Heavy Weight
- Cost:** \$\$\$

### ▶ Recommended For:

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Maintenance areas



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Re-Form Pro Plus Pads</b>								
RFPP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case

*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.*

**Specialty Product:  
Eco-Friendly**



## Re-Form™ XPlus Absorbents

A medium weight absorbent with meltblown coverstock on both sides for added durability.

- Universal absorbency to handle most fluids (water, petroleum and non-aggressive chemicals)
- Highly durable 3-ply construction made from 80% recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

### Additional Features:

- **Eco-Friendly:** Supports corporate sustainability and LEED initiatives
- **Perforated:** Select exactly the size you need

### Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Coverstock:** Top & Bottom Coverstock (3-Ply)
- Durability:** ✓ ✓
- Linting:** Medium Linting
- Absorbencies:** Medium Weight
- Cost:** \$\$\$

### Recommended For:

- Anywhere there is a leak, drip or spill
- General purpose absorbent
- Light foot traffic



**Re-Form™**  
Eco-Friendly Absorbents

Catalog #	Type	Size	Perforated	Absorbency Factor (g/l/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Re-Form XPlus Pads</b>								
RFDP300	Medium Wt. Pad	16"x18"	Yes, 7.5"	16.5	32	16.6	24	100/case
<b>Re-Form XPlus Rolls</b>								
RFDP328-DP	Medium Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	16.5	55	33.3	8	1/case

*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.*



**Specialty Product:  
Eco-Friendly**

## Re-Form™ Plus Absorbents

Eco-friendly, all-purpose absorbent for wiping, drips and leaks.

- Universal absorbency to handle most fluids (water, petroleum and non-aggressive chemicals)
- Durable 2-ply construction made from 80% recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

### Additional Features:

- **Eco-Friendly:** Supports corporate sustainability and LEED initiatives
- **Perforated:** Select exactly the size you need

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Coverstock:** Top Coverstock (2-Ply)
- Durability:** ✓ ✓
- Linting:** Medium Linting
- Absorbencies:** Heavy, Medium & Light Weight
- Cost:** \$ \$

### ▶ Recommended For:

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under equipment or machinery



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Re-Form Plus Pads</b>								
RFP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	17	40	19.5	18	100/case
RFP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	17	32	16	24	100/case
RFP500	Light Wt. Pad	15"x19"	Yes, 7.5"	17	24	12.7	30	100/case
<b>Re-Form Plus Rolls</b>								
RFP328-DP	Medium Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	17	54	30.5	8	1/case
RFP314P	Medium Wt. Roll	14.25"x150'	Yes, every 19"	17	30	15.5	20	1/case

*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.*

# Universal Absorbency

Universal Pads & Rolls

**Specialty Product:**  
**Eco-Friendly**



## Re-Form™ Absorbents

Economical general purpose absorbent offering superior absorbency compared to meltblown polypropylene.

- Universal absorbency to handle most fluids (water, petroleum and non-aggressive chemicals)
- Single-ply nylon mesh construction made from 80% recycled cellulose and highly absorbent rags
- Up to 50% more absorbent than comparable polypropylene absorbents
- Class A fire retardant

### Additional Features:

- **Eco-Friendly:** Supports corporate sustainability and LEED initiatives

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Coverstock:** No Coverstock (1-Ply)
- Durability:** ✓
- Linting:** High Linting
- Absorbencies:** Heavy, Medium & Light Weight
- Cost:** \$

### ▶ Recommended For:

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Maintenance areas with limited foot traffic



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Re-Form Pads</b>								
RF100	Heavy Wt. Pad	15"x19"	No	17.5	40	19	18	100/case
RF300	Medium Wt. Pad	15"x19"	No	17.5	32	14.8	24	100/case
RF500	Light Wt. Pad	15"x19"	No	17.5	24	12	30	100/case

*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.*





# Oil Only Absorbency

ABSORBS OIL AND REPELS WATER

## Oil Only Absorbency Absorb Oil- & Petroleum-Based Fluids While Repelling Water.

Oil only absorbents are specially designed to clean-up oils and petroleum-based liquids while also repelling water and floating indefinitely.

Unaffected by temperature and impervious to rot and mildew, oil only absorbents are an ideal choice for outdoor use, in bodies of water or anywhere that water may be inadvertently absorbed.

### Oil Only Absorbent Family:

All oil only pads and rolls start with a highly absorbent polypropylene core. From there, it's all about the application. Product families feature different weights, coverstocks and finishing to provide the right solution for your needs.



### ▶ Liquids Absorbed:

- Drilling and cutting fluids
- Hydraulic and brake fluids
- Engine oils
- Transmission fluids
- Lubricants
- Gasoline, diesel and aircraft fuels
- Cooking oils
- Oil-based paints and solvents
- Other oils and petroleum-based fluids

### ▶ Popular Applications:

- Outdoors
- Around bodies of water
- Wiping tools
- Small spills
- Under leaky pipes
- Around machinery
- Outdoor storage containers
- Under dripping valves
- Other general purpose maintenance



Wiping



Drips



Outdoors

# Oil Only Absorbency

		Product Family	Durability	Linting	Absorbency Weights	Cost	Coverstock
<b>Best Sellers</b>	General purpose drips, spills, wiping and marine applications	<b>Oil Plus</b> (Pads & Rolls)	✓✓	Medium Linting	Heavy Medium	\$\$\$	Top & Bottom Fine-Fiber Coverstock (3-Ply)
		<b>SPC Oil</b> (Pads & Rolls)	✓✓	Medium Linting	Heavy Medium Light	\$\$	No Coverstock (1-Ply)
		<b>BASIC OIL</b> (Pads & Rolls)	✓	High Linting	Heavy Light	\$	No Coverstock (1-Ply)
<b>Specialty Applications</b>	For abrasive wiping	<b>SXT Oil</b> (Pads & Rolls)	✓✓✓	Low Linting	Heavy Medium Light	\$\$\$	Top & Bottom Spunbond Coverstock (3-Ply)
	Contractor grade for emergency marine spills	<b>ENV Oil</b> (Pads & Rolls)	✓	High Linting	Heavy Medium Light	\$	No Coverstock (1-Ply)
	For static electricity safety around fuel or other ignitable fumes	<b>Static Resistant</b> (Pads & Rolls)	✓	High Linting	Heavy	\$\$\$	No Coverstock (1-Ply)
	Portable pocket-sized for small spills	<b>Spill Response Plus Oil</b> (Pads & Rolls)	✓✓	Medium Linting	Heavy	\$\$	Top & Bottom Fine-Fiber Coverstock (3-Ply)
<b>Eco-Friendly</b>	Made of minimum 80% recycled material. For drips, spills & wiping	<b>Re-Form Oil</b> (Pads)	✓✓	Low Linting	Heavy	\$\$\$	Top & Bottom Coverstock (3-Ply)

## ▶ Why Repel Water?

Many spills occur outdoors near bodies of water or during inclement weather. Oil only absorbents repel that water ensuring that all of your pad's absorbency is used to pick up the oil.



# Oil Only Absorbency

★★★★Best

★★Better

★Good

Oil Only Pads & Rolls



## ▶ Product Summary:

**Absorbs:** Oils, Coolants, Solvents and Oil-based Fluids

**Coverstock:** Top & Bottom Coverstock (3-Ply)

**Durability:** ✓✓

**Linting:** Medium Linting

**Absorbencies:** Heavy & Medium Weight

**Cost:** \$\$\$

## ▶ Recommended For:

- Anywhere there is a leak, drip or spill
- Fuel stations and automotive industries
- Precision engineering
- Printing industries

## Oil Plus Absorbents

Perfect for general everyday use and emergency spill clean-up.

- Oil only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- 3-ply meltblown polypropylene construction increases durability and reduces lint

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting



## Oil Plus Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Oil Plus Pads</b>								
OP50	Heavy Wt. Pad	30"x30"	Yes, 15"	12.5	41	24	11	50/case
OP150DND	Heavy Wt. Pad*	15"x19"	Yes, 7.5"	12.5	39	27	18	150/case
OP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case
OP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14	30	100/case

\*Features Dispense-N-Dispose® System



## Oil Plus Rolls

Continuous rolls are ideal for covering larger areas.

Perforations make it easy to select smaller sizes when needed.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
OP30-DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	49	33	12	1/case
OP30P	Heavy Wt. Roll	30"x150'	Yes, every 30"	12.5	49	33	12	1/case
OP30	Heavy Wt. Roll	30"x150'	No	12.5	49	33	12	1/case
OP15-DP	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	24	17.5	24	1/case
OP15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	24	17.5	24	1/case
OP15	Heavy Wt. Roll	15"x150'	No	12.5	24	17.5	24	1/case
OP350-DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	38	26.5	12	1/case
OP315P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	19	14	24	1/case

## ▶ Dispense-N-Dispose® System:

OP150DND features 150 heavy weight pads in a unique Dispense-N-Dispose® system - packaging doubles as a dispenser and a disposal bin all at once.



# Oil Only Absorbency

★★★Best

★★Better

★Good



Oil Only Pads & Rolls

## Product Summary:

<b>Absorbs:</b>	Oils, Coolants, Solvents and Oil-based Fluids
<b>Coverstock:</b>	No Coverstock (1-Ply)
<b>Durability:</b>	✓✓
<b>Linting:</b>	Medium Linting
<b>Absorbencies:</b>	Heavy, Medium & Light Weight
<b>Cost:</b>	\$ \$

## Recommended For:

- Anywhere there is a leak, spill or drip
- Marine and environmental spills
- Oil refineries / fuel chemical
- General manufacturing


## SPC® Oil Absorbents

Brady SPC's best-selling oil only pads for industrial or marine use.

- Oil only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Efficient single-ply construction of MAXX® Technology – absorption and strength without the extra weight

## Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Blue Package Color:** SPC® Oil Absorbents are packaged in a blue bag to streamline absorbent identification in your facility



SPC105 features blue coverstock on one side.

## SPC Oil Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SPC50	Heavy Wt. Pad	33"x39"	No	18	73	33.5	10	50/bale*
SPC100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	35	14	30	100/bale*
SPC105	Heavy Wt. Pad (1 side w/blue coverstock)	15"x19"	Yes, 7.5"	18	24	14	30	100/bale*
SPC300	Medium Wt. Pad	15"x19"	Yes, 7.5"	18	30	11	30	100/bale*
SPC200	Light Wt. Pad	15"x19"	Yes, 7.5"	18	51	16	24	200/bale*
SPC500	Light Wt. Pad	15"x19"	Yes, 7.5"	18	20	8.2	36	100/bale*

\*SPC Oil Absorbents packaged in a blue bag.



## SPC Oil Rolls

Continuous rolls are ideal for covering larger areas.

Blanket rolls maximize absorbency and can be cut to size.

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SPC150	Heavy Wt. Roll	38"x144'	No	15	70	33	18	1/bale*
SPC152	Heavy Wt. Roll	19"x144'	No	15	70	33	18	2/bale*

\*SPC Oil Absorbents packaged in a blue bag.

# Oil Only Absorbency

★★★ Best  
★★ Better  
★ Good

Oil Only Pads & Rolls



## Product Summary:

<b>Absorbs:</b>	Oils, Coolants, Solvents and Oil-based Fluids
<b>Coverstock:</b>	No Coverstock (1-Ply)
<b>Durability:</b>	✓
<b>Linting:</b>	High Linting
<b>Absorbencies:</b>	Heavy & Light Weight
<b>Cost:</b>	\$

## Recommended For:

- Anywhere there is a leak, spill or drip
- General industrial or manufacturing oil only applications
- Marine and environmental spills
- Coast guard or on-board vessels

## BASIC Oil Absorbents

Value-priced oil only absorbent.

- Oil only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Economical single-ply pads & rolls made of oil only meltblown polypropylene

## Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Clear Package Color:** Basic Oil Absorbents are packaged in a clear bag to streamline absorbent identification in your facility





## BASIC Oil Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
BPO100	Heavy Wt. Pad	15"x17"	Yes, 7.5"	18	20.5	8.5	30	100/bale
BPO200	Light Wt. Pad	15"x17"	Yes, 7.5"	18	34	14	24	200/bale
BPO500	Light Wt. Pad	15"x17"	Yes, 7.5"	18	17	7	36	100/bale

Basic Oil Absorbents packaged in a clear bag.



## BASIC Oil Rolls

Continuous rolls are ideal for covering larger areas.

Perforations make it easy to select smaller sizes when needed.

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
BRO150	Heavy Wt. Roll	30"x150"	Yes, every 30"	14.5	38	19.5	18	1/bale
BRO152	Heavy Wt. Split Roll	15"x150"	Yes, every 30"	14.5	38	19.5	18	2/bale

Basic Oil Absorbents packaged in a clear bag.

### ► Suitable for Outdoor Storage

Oil only absorbents are specifically designed to repel water, which means they can be stored outdoors and will not be affected by the weather, fluctuating outdoor temperatures or moisture.



**Specialty Product:  
For High  
Abrasion**



## SXT® Oil Only Absorbents

The ideal absorbent when durability, abrasion resistance and low linting are required.

- Oil only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Durable 3-ply meltblown polypropylene construction with abrasion-resistant top and bottom coverstock layers
- Extra strength allows for wringing and re-use

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Oil-based Fluids
- Coverstock:** Top & Bottom Coverstock (3-Ply)
- Durability:** ✓✓✓
- Linting:** Low Linting
- Absorbencies:** Heavy, Medium & Light Weight
- Cost:** \$ \$ \$

### ▶ Recommended For:

- Extra abrasive wiping
- High tech industries
- Paper industries
- Machining of small parts
- Precision engineering



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>SXT Oil Pads</b>								
SXT100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12	19.5	14.5	30	100/case
SXT300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12	17	10	30	100/case
SXT200	Light Wt. Pad	15"x19"	Yes, 7.5"	12	31.5	18	22	200/case
<b>SXT Oil Rolls</b>								
SXT30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12	37	26.5	12	1/case
SXT15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12	18	14	24	1/case

**Specialty Product:  
For Marine  
Use**



## ENV® Oil Absorbents

Highly economical, contractor grade oil only absorbent for oil clean-up on land or water.

- Oil only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Efficient single-ply of MAXX® Technology – absorption and strength without the extra weight

### Additional Features:

- **Non-Dimpled:** No dimples means maximum surface area for absorption
- **Green Package Color:** ENV Absorbents are packaged in a green bag to streamline absorbent identification in your facility

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Oil-based Fluids
- Coverstock:** No Coverstock (1-Ply)
- Durability:** ✓
- Linting:** High Linting
- Absorbencies:** Heavy, Medium & Light Weight
- Cost:** \$

### ▶ Recommended For:

- Marine and environmental spills
- Coast guard & on-board vessels
- Off-shore oil rigs



Oil Only Pads & Rolls

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>ENV Oil Pads</b>								
ENV50	Medium Wt. Pad	30"x30"	No	20	50	19	14	50/bale*
ENV100	Heavy Wt. Pad	15"x19"	No	20	33	12.5	30	100/bale*
ENV300	Medium Wt. Pad	15"x19"	No	18	23.2	10	30	100/bale*
ENV200	Light Wt. Pad	15"x19"	No	23	51	16	24	200/bale*
ENV500	Light Wt. Pad	15"x19"	No	23	24.5	8	30	100/bale*
MXO1000	Light Wt. Pad	15"x19"	Yes, 7.5"	23	26	11	30	100/case
<b>ENV Oil Rolls</b>								
ENV150	Medium Wt. Roll	30"x150'	No	15	44	22	18	1/bale*

\*ENV Oil Absorbents packaged in a green bag.

**Specialty Product:  
For High  
Static  
Areas**



## Static Resistant Oil Absorbents

Oil only absorbents specially treated to resist static electricity build up around flammable liquid or delicate electronics.

- Oil only absorbency for petroleum-based oils, solvents and other non-water soluble liquids - making it ideal for outdoor use
- Economical single-ply pads & rolls made of oil only meltblown polypropylene

### Additional Features:

- **Non-Dimpled:** No dimples means maximum surface area for absorption
- **NFPA Specs:** Meets National Fire Protection Association specifications

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Oil-based Fluids
- Coverstock:** No Coverstock (1-Ply)
- Durability:** ✓
- Linting:** High Linting
- Absorbencies:** Heavy Weight
- Cost:** \$ \$ \$

### ▶ Recommended For:

- Wherever static electricity is a concern
- Cold environments
- Around fuel or other ignitable fumes
- Computer production



Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Static Resistant Oil Pads</b>								
SR3625	Heavy Wt. Pad	30"x30"	No	13	16	9	14	25/bale
SR100	Heavy Wt. Pad	15" x19"	No	13	26	14.5	30	100/bale
<b>Static Resistant Oil Rolls</b>								
SR3600	Heavy Wt. Roll	30"x150'	No	15	44	22	18	1/bale

**Specialty Product:  
Portability  
& Small  
Spills**



## Spill Response Plus Oil Absorbents

Convenient, portable size that's perfect for employees to fold or carry in their pockets for small spills.

- Oil only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- Fine fiber coverstock on each side increases product versatility

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Small Size:** Clean up minor spills without wasting material

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Oil-based Fluids
- Coverstock:** Top & Bottom Coverstock (3-Ply)
- Durability:** ✓ ✓
- Linting:** Medium Linting
- Absorbencies:** Heavy Weight
- Cost:** \$ \$

### ▶ Recommended For:

- Anywhere there is a leak, drip or spill
- Janitorial & maintenance
- Hospitality & retail



Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Spill Response Plus Universal Pads</b>								
SRPO100	Heavy Wt. Pad	7.5"x10"	No	12.5	5.5	4	96	100/case
SRPO200	Heavy Wt. Pad	7.5"x10"	No	12.5	11.1	7.5	48	200/case
<b>Spill Response Plus Universal Rolls</b>								
SRPO75P	Heavy Wt. Roll	7.5" x 50'	Yes, 10"	12.5	3.3	1.85	60	1/bale

**Specialty Product:  
Eco-Friendly**



## Re-Form™ Oil Only Absorbents

Eco-friendly oil only absorbent offering superior absorbency - absorbs more than 30 times its weight.

- Oil only absorbency for petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- 3-ply construction with top and bottom coverstock, all made from 80% natural cellulose fibers
- Class A fire retardant

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Eco-Friendly:** Supports corporate sustainability and LEED initiatives

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Oil-based Fluids
- Coverstock:** Top & Bottom Coverstock (3-Ply)
- Durability:** ✓ ✓
- Linting:** Low Linting
- Absorbencies:** Heavy Weight
- Cost:** \$\$\$

### ▶ Recommended For:

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Maintenance areas




Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Re-Form Oil Only Pads</b>								
RFODP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	30	39	12	18	100/case

*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.*

## ▶ Cost Savings with Re-Form™ Absorbents

Re-Form absorbents have tested to be up to 50% more absorbent than their polypropylene counterparts. This can make a significant impact on the amount of product you need to get the job done.

**Less Product Used = Cost Savings For You!**



# Chemical Absorbency

COLOR-CODED FOR SAFETY

## Chemical Absorbency For When Chemical-Based Fluids Are Present.

Alert your employees to the presence of hazardous fluids with green and yellow chemical absorbents from Brady SPC. These surfactant-treated polypropylene pads and rolls can be used on a wide range of chemicals and are chemically inert, so they will not react with aggressive fluids.

### Chemical Absorbent Family:

All chemical pads and rolls start with a highly absorbent polypropylene core. From there, it's all about the application. Product families feature different weights, coverstocks and finishing to provide the right solution for your needs.



### ▶ Liquids Absorbed:

- Acids and bases
- Aggressive chemicals
- Sodium hydroxide
- Solvents
- Citric acid
- Water-based fluids
- Oil-based fluids
- Other unknown chemicals

### ▶ Popular Applications:

- Anywhere hazardous chemicals may be present
- Bulk chemical storage containers
- Nuclear power plants
- Laboratories
- Hospitals
- Pharmaceuticals and any industry utilizing chemicals
- Chemical manufacturing
- To recognize chemical waste stream



Warning



Wiping



Drips



		Product Family	Durability	Linting	Absorbency Weights	Cost	Coverstock
<b>Specialty Applications</b>	For areas with a high slips, trips and falls risk	<b>BRIGHTSORB™ High Visibility</b> (Pads & Rolls)	✓✓	Low Linting	Heavy Medium Light	\$\$\$	Top Durable Spunbond Coverstock (2-Ply)
	For general purpose wiping and dripping applications	<b>Universal Plus</b> (Pads & Rolls)	✓✓	Medium Linting	Medium	\$\$\$	Top & Bottom Fine-Fiber Coverstock (3-Ply)
	Economical all-purpose chemical absorbent	<b>BASIC Chemical</b> (Pads & Rolls)	✓	High Linting	Heavy Light	\$	No Coverstock (1-Ply)
	Portable pocket-sized for small spills	<b>Spill Response Plus Chemical</b> (Pads & Rolls)	✓✓	Medium Linting	Heavy	\$\$	Top & Bottom Fine-Fiber Coverstock (3-Ply)



## ► Increase Safety & Savings: Color Coded Waste Stream

Save on disposal costs by using different colored absorbents in specific parts of your facility and throughout your waste streams.

**For example:** a facility might use yellow absorbents in radioactive areas and green absorbents in their chlorine areas. Then the facility would use gray universal absorbents for the rest of their facility.

A color coded system benefits your employees' understanding of the waste stream because they will assume yellow absorbents are saturated with radioactive waste and green absorbents are saturated with chlorine.



# Chemical Absorbency

★★★★Best

★★Better

★Good



## ▶ Product Summary:

**Absorbs:** Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, Unknown Chemicals

**Coverstock:** Safety Printed Top Coverstock (2-Ply)

**Durability:** ✓✓

**Linting:** Low Linting

**Absorbencies:** Heavy, Medium & Light Weight

**Cost:** \$\$\$

## ▶ Recommended For:

- Areas with slip, trip and fall hazards
- Foot traffic areas
- Drips and spills involving hazardous chemicals
- Any industrial application utilizing aggressive fluids

## BRIGHTSORB™ High Visibility Safety Absorbents

Color and print make it ideal for areas where the risk of slips, trips and falls is greatest.

- Chemical absorbency for areas where chemicals may be present
- Product will not react with aggressive fluids
- 2-ply construction increases durability and reduces lint

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Printed Message:** Warns of slips, trips and falls
- **Bright Color:** Warns of presence of leaks, drips or spills even in low light



## BRIGHTSORB™ Pads

Pre-cut pads are ideal for wiping or catching drips.

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
CH100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	28	16	30	100/case
CH1212	Medium Wt. Pad*	12"x12"	Yes, 6"	12.5	30	14.5	30	200/case
CH1212-50	Medium Wt. Pad*	12"x12"	Yes, 6"	12.5	7.5	4	72	50/case
CH200	Light Wt. Pad	15"x19"	Yes, 7.5"	18	28	16	22	200/case

\* Absorbent does not have print.



## BRIGHTSORB™ Rolls

Continuous rolls are ideal for covering larger areas.

Perforations make it easy to select smaller sizes when needed.

Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
CH30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	40	25	12	1/case
CH15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	20	14	24	1/case
CH303	Medium Wt. Roll	30"x300'	Yes, 15" and every 15"	12.5	70	40	8	1/bale

### ▶ Slips, Trips & Fall Hazards:

Slips, trips and falls are one of the greatest issues for organizations, accounting for **1 in 6 lost-time injuries and 96 million workdays lost** per year.<sup>1</sup> One of the most frequent causes of slips, trips and falls is a wet work surface.

Brady SPC's BRIGHTSORB™ High Visibility Safety line helps prevent these incidents and injuries through its bright, highly visible yellow color as well as the iconic "slipping man" logo for multi-lingual caution messaging.

<sup>1</sup> Smith, S. (2013, July 15). *The High Costs of Slips, Trips and Falls*. Retrieved from EHS Today.



**Specialty Product:  
For High  
Abrasion**



## Universal Plus Chemical Absorbents

Durable chemical absorbents for wiping, drips, spills and leaks that may involve hazardous chemicals.

- Chemical absorbency for areas where chemicals may be present
- Product will not react with aggressive fluids
- Highly durable 3-ply construction reduces lint

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Bright Color:** Warns of presence of chemicals for proper disposal

### ▶ Product Summary:

- Absorbs:** Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, Unknown Chemicals
- Coverstock:** Top & Bottom Coverstock (3-Ply)
- Durability:** ✓ ✓
- Linting:** Medium Linting
- Absorbencies:** Medium Weight
- Cost:** \$ \$ \$

### ▶ Recommended For:

- Drips and spills involving hazardous chemicals
- Pharmaceutical, Labs & Hospitals
- Research institutes
- Chemical plants



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Universal Plus Pads</b>								
SPCUN1719	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14.5	30	100/case
SPCUN1113	Medium Wt. Pad	12"x12"	No	12.5	20	16	30	200/case
<b>Universal Plus Rolls</b>								
SPCUN3800	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	39	27	12	1/case
SPCUN1019	Medium Wt. Roll	15"x150'	Yes, 15" and every 15"	12.5	39	24	12	2/case

**Specialty Product:  
For General  
Chemical  
Use**



## BASIC Chemical Absorbents

Economical chemical absorbents for drips, spills and leaks that may involve hazardous chemicals.

- Chemical absorbency for areas where chemicals may be present
- Product will not react with aggressive fluids
- Economical single-ply construction

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Bright Color:** Warns of presence of chemicals for proper disposal

### ▶ Product Summary:

- Absorbs:** Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, Unknown Chemicals
- Coverstock:** No Coverstock (1-Ply)
- Durability:** ✓
- Linting:** High Linting
- Absorbencies:** Heavy & Light Weight
- Cost:** \$

### ▶ Recommended For:

- Drips and spills involving hazardous chemicals
- Chemical Spill Response Teams
- Laboratories and Hospitals



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>BASIC Chemical Pads</b>								
<b>new</b> BPH100	Heavy Wt. Pad	15"x17"	Yes, 7.5"	18	20	8.5	30	100/bale
<b>new</b> BPH200	Light Wt. Pad	15"x17"	Yes, 7.5"	18	34	13.7	24	200/bale
<b>new</b> BPH500	Light Wt. Pad	15"x17"	Yes, 7.5"	18	17	7	36	100/bale
<b>BASIC Chemical Rolls</b>								
<b>new</b> BRH150	Heavy Wt. Roll	30"x150'	Yes, every 30"	18	38	19.5	18	1/bale
<b>new</b> BRH152	Heavy Wt. Split Roll	15"x150'	Yes, every 30"	18	38	19.5	18	2/bale

**Specialty Product:  
Portability  
& Small  
Spills**



## Spill Response Plus Universal Plus Absorbents

Convenient, portable size perfect for employees to fold or carry in their pockets for small chemical spills.

- Chemical absorbency for areas where chemicals may be present
- Product will not react with aggressive fluids
- Fine fiber coverstock on each side increases product versatility

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Bright Color:** Warns of presence of chemicals for proper disposal
- **Small Size:** Clean up minor spills without wasting material

### ▶ Product Summary:

- Absorbs:** Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, Unknown Chemicals
- Coverstock:** Top & Bottom Coverstock (3-Ply)
- Durability:** ✓ ✓
- Linting:** Medium Linting
- Absorbencies:** Heavy Weight
- Cost:** \$ \$

### ▶ Recommended For:

- Drips and spills involving hazardous chemicals
- Pharmaceuticals, laboratories & hospitals
- Research institutes
- Janitorial & maintenance



Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Spill Response Plus Universal Pads</b>								
SRPH100	Heavy Wt. Pad	7.5"x10"	No	12.5	5.5	4	96	100/case
SRPH200	Heavy Wt. Pad	7.5"x10"	No	12.5	11.1	7.5	48	200/case
<b>Spill Response Plus Universal Rolls</b>								
SRPH75P	Heavy Wt. Roll	7.5" x 50'	Yes, 10"	12.5	3.3	1.85	60	1/bale



# SOCs, PILLOWS & DRUM COVERS

FOR EVERY LEAK, DRIP AND SPILL NEED

## SOCs, Pillows & Drum Covers

For every leak,  
drip and spill need

Specialty absorbent products including SOC's, pillows and drum covers can be used around a facility when a pad or roll may not be sufficient. The unique style of these products allows you to place the absorbent exactly where you need it.



### ▶ Liquids Absorbed:

- **Universal Absorbency:** Coolants, solvents, oils, paint and other water-based fluids
- **Oil Only Absorbency:** Oils, coolants, solvents and other oil-based fluids (repels water)
- **Chemical Absorbency:** Acids and bases, aggressive chemicals and other unknown chemicals

### ▶ Popular Applications:

- Wrap a SOC around your machine to stop leaks from reaching the floor
- Place a pillow in a tight space between machines to catch splashes or overspray
- Keep drum storage areas clean and dry with pre-cut drum covers







## SOCs

Absorbent SOC's are dependable, flexible tubes that contain and absorb liquids. SOC's mold around corners and conform to uneven surfaces to soak up spills and drips, preventing fluid from escaping to other areas.

- Available in Universal, Oil Only and Chemical absorbencies



## Pillows

Absorbent pillows are ideal for use under spill pallets or machines that are known to drip or leak. Pillows are easy to retrieve, and can soak up oil and water-based fluids in hard-to-reach areas including sumps, catch basins and outdoor ponds.


- Available in Universal, Oil Only and Chemical absorbencies












## Drum Covers

Absorbent drum covers help eliminate messy drips and overflow when mixing or pumping liquids from drum barrels. Brady SPC drum covers keep drums, the floor and surrounding storage areas dry and clean.

- Available in Universal and Oil Only absorbencies



## Flexible Absorbent SOC

	Product Family	Liquids Absorbed	Suitable for Aggressive Fluids	SOC Filling	Wringable & Can Be Incinerated	Additional Features
	<b>ALLWIK® Universal SOC</b> s	Water-based, Oil-based Chemical-based	✓	Polypropylene	✓	Most popular all-purpose SOC
	<b>SLIKWIK® Universal SOC</b> s	Water-based, Oil-based Non-Aggressive Chemical-based	-	Corn Cob	-	Cost-effective
	<b>Cobra Coil® Universal SOC</b> s	Water-based, Oil-based Chemical-based	✓	Vermiculite	-	Excellent for diking applications
	<b>BASIC Universal SOC</b> s	Water-based, Oil-based Non-Aggressive Chemical-based	-	Cellulose	-	Economical
	<b>Re-Form™ Universal SOC</b> s	Water-based, Oil-based Non-Aggressive Chemical-based	-	Recycled Newsprint	-	Up to 50% more absorbent than polypropylene
	<b>Oil Only Oil Only SOC</b> s	Oil-based (Repels water)	-	Polypropylene	✓	Floats Indefinitely
	<b>Re-Form™ Oil Only SOC</b> s	Oil-based (Repels water)	-	80% all natural cotton fibers	✓	Up to 50% more absorbent than polypropylene
	<b>BRIGHTSORB™ High Visibility Chemical SOC</b> s	Chemical-based	✓	Polypropylene	-	Color & print call attention to potential for slips, trips and falls
	<b>HAZWIK® Chemical SOC</b> s	Chemical-based	✓	Polypropylene	-	Color identifies presence of chemicals for correct disposal

### ▶ SOC Usage Tips

- Clean-up all loose materials, rags and other debris around the spill
- Prior to placement, shake SOC vigorously to evenly distribute absorbent within
- For best results, lay flat against the floor and overlap the SOC ends approximately 5" for extra spill protection
- Replace your SOC when liquid begins pooling or seeping underneath

# SOCs, Pillows & Drum Covers

## Universal SOC's

- All-purpose SOC's to clean-up oils, coolants, solvents and water-based fluids throughout your facility.
- Gray color masks spills and stains – helping you resist the urge to pick up the absorbent before it is fully saturated.



Catalog #	Type	Size	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>ALLWIK Universal SOC's</b>							
AW124	SOC	3"x12'	9	12	12	40	4/case
AW806	SOC	3"x8'	9	12	12	30	6/case
AW430	SOC	3"x4'	9	30	26	15	30/case
AW412	SOC	3"x4'	9	12	12	36	12/case
<b>SLIKWIK Universal SOC's</b>							
SW46	SOC	3"x3.5'	3	20	50	16	40/case
<b>Cobra Coil® Universal SOC's</b>							
CC400	SOC	3"x4'	8.5	8.5	29	48	12/case
<b>BASIC Universal SOC's</b>							
BSC40	SOC	3"x3.5'	15	84	47.5	12	40/case
BSC20	SOC	3"x3.5'	15	40.5	24	24	20/case
<b>Re-Form™ Universal SOC's</b>							
MS124	SOC	3"x12'	8.5	12	12	36	4/case
MS806	SOC	3"x8'	8.5	12	12	30	6/case
MS50	SOC	3"x4'	7	40	43	10	40/case
MS412	SOC	3"x4'	8.5	12	12	36	12/case



ALLWIK® Polypropylene SOC



SLIKWIK® Corn Cob SOC



Cobra Coil® Vermiculite SOC



BASIC Cellulose SOC



Re-Form™ Recycled Newsprint SOC



## Oil Only SOC

### Oil Only & Re-Form™ Oil Only SOC

- Absorbs oil, grease, transmission fluid, coolant and other petroleum based liquids.
- Repels water and floats for outdoor applications
- Wringable and can be incinerated
- Strong wicking action: absorption begins instantly after contact with the spilled liquid, no need to turn the SOC
- SOC Construction:
  - SOC made of polypropylene
  - Re-Form™ SOC made from 80% all natural cotton fibers



Oil Only Polypropylene SOC



Re-Form™ Oil Only SOC  
(80% all natural cotton fibers)

Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Polypropylene Oil Only SOC</b>							
OIL124	SOC	3"x12'	9	12	11	40	4/case
OIL806	SOC	3"x8'	9	12	11	30	6/case
OIL430	SOC	3"x4'	9	28	30	15	30/case
OIL412	SOC	3"x4'	9	12	11	36	12/case
<b>Re-Form Oil Only SOC</b>							
RFO412	SOC	3"x4'	13.5	15	10.5	36	12/case

## Chemical SOC

### BRIGHTSORB™ High Visibility SOC & HAZWIK® SOC

- Absorbs chemicals, acids and bases
- Flexible design is easily molded around spills
- BRIGHTSORB™ SOC's bright yellow color and print help prevent risk of slips, trips and falls



BRIGHTSORB™ Polypropylene SOC  
with high visibility color and print

Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>BRIGHTSORB™ High Visibility Chemical SOC</b>							
<b>new</b> CH124	SOC	3"x12'	9	12	12	40	4/case
<b>new</b> CH412	SOC	3"x4'	9	12	12	36	12/case
<b>HAZWIK® Chemical SOC</b>							
HAZ124	SOC	3"x12'	9	12	12	40	4/case
HAZ412	SOC	3"x4'	9	12	12	36	12/case



HAZWIK® Polypropylene SOC

## Pillows

Absorbent pillows are ideal for use under spill pallets or machines that are known to drip or leak. Pillows are easy to retrieve, and can soak up oil and water-based fluids in hard-to-reach areas including sumps, catch basins and outdoor ponds.

### ALLWIK® Universal Pillows

- All-purpose polypropylene pillow
- Suitable for most industrial applications
- Ideal under valves and for other dripping applications

### Oil Only Pillows

- Specialized oil only polypropylene pillow will not absorb water or water-based solutions
- Ideal for outdoor use in waste troughs, coolant tanks, fluid reservoirs and sump wells

### Chemical HAZWIK® and BRIGHTSORB™ High Visibility Pillows

- Absorb chemicals, acids and bases
- Ideal for extra protection during packaging and transport
- BRIGHTSORB™ High Visibility Pillows feature a bright yellow color and print to help prevent slips, trips and falls



ALLWIK® Universal Pillow



Oil Only Pillow



**new**

BRIGHTSORB™ Chemical Pillow with high visibility color and print



HAZWIK® Chemical Pillow

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Universal Pillows</b>							
AW1818	Pillow	18"x18"	12.5	28	19	15	16/case
AW99	Pillow	9"x9"	12.5	14	10	40	32/case
<b>Oil Only Pillows</b>							
OIL1818	Pillow	18"x18"	12.5	28	19	15	16/case
OIL99	Pillow	9"x9"	12.5	14	10	40	32/case
<b>BRIGHTSORB™ High Visibility Pillows</b>							
<b>new</b> CH1818	Pillow	18"x18"	12.5	14	9.5	15	16/case
<b>HAZWIK Chemical Pillows</b>							
HAZ1818	Pillow	18"x18"	12.5	14	9.5	15	16/case
HAZ99	Pillow	9"x9"	12.5	10	14	40	32/case

## Drum Covers

### ALLWIK® Universal & Oil Only Drum Covers

- Designed to fit 55-gallon drums – pre-cut holes fit drums with 1 or 2 bungholes
- Create a clean and safe work floor by helping to prevent pump drips from reaching the floor
- Liquids absorbed:
  - Universal absorb water-, oil- and chemical-based liquids
  - Oil Only absorb oil- and petroleum-based liquids and repel water



Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>Universal Drum Cover</b>							
DTA25	Drum Cover	22" dia.	12.5	6	6	60	25/case
<b>Oil Only Drum Cover</b>							
DTO25	Drum Cover	22" dia.	12.5	6	6	60	25/case



### ▶ Spill Pallets Also Available

Prevent liquid from reaching the floor by making sure your drums are placed on spill pallets. These pallets also help you comply with governmental secondary containment regulations.

Brady SPC spill pallets are available in a variety of sizes and are forklift friendly for easy re-location of your 55-gallon drums throughout your facility.

**See page 91 for more details.**





# Mats & Rugs

**CLEAN, DRY FLOORS HELP  
PREVENT SLIPS, TRIPS & FALLS**

## Mats and Rugs For foot and forklift traffic

Brady SPC absorbent mats and rugs help keep aisles and walkways slip-free by absorbing and containing oils, liquids or other spills. They are designed to hold up under the toughest conditions and are ideal for high traffic areas and workstations. Compared to an entrance mat, absorbent mats and rugs offer better traction and reduce the tracking of liquids from one area to another.

### Mat & Rug Family:

Brady SPC absorbent mats and rugs are constructed from a variety of more durable polypropylene materials. Featuring barrier backings and tighter fiber weaves, these products will stand up to higher traffic areas. This technology means that fibers or absorbent materials will not come loose around high traffic areas or workstations.



### ▶ Liquids Absorbed:

- Bases
- Oils
- Chemicals
- Solvents
- Water-based fluids

### ▶ Popular Applications:

- Heavy foot traffic
- Aisles and walkways
- Around workstations
- To reduce tracking liquids throughout facility



Adhesive



Safety Printed



Barrier Backed



		Product Family	Durability	Linting	Absorbency Weights	Cost	Coverstock
Adhesive Backed	Areas with significant foot and forklift traffic where traditional mats are a tripping hazard	<b>TOUGHSORB™ Permanent Adhesive Mat (Rolls)</b>	✓✓✓	Low Linting	Heavy	\$\$\$	Needle-punched polypropylene, adhesive backing (2-Ply)
		<b>TOUGHSORB™ Semi-Permanent Adhesive Mat (Rolls)</b>	✓✓✓	Low Linting	Medium	\$\$\$	Needle-punched polypropylene with adhesive coating (2-Ply)
Non-Skid Barrier Backed	Barrier backed for high traffic aisles and walkways	<b>BSM Barrier Spill Matting (Rolls)</b>	✓✓✓	Low Linting	Medium	\$\$\$	Needle-punched polypropylene, non-skid backing (2-Ply)
	Safety print and barrier backed for high traffic areas with a greater risk of slips, trips and falls	<b>BRIGHTSORB™ High Visibility Barrier-Backed Mat (Pads &amp; Rolls)</b>	✓✓✓	Low Linting	Heavy	\$\$\$	Top Spunbond Coverstock, non-skid backing (3-Ply)
		<b>High Traffic (HT) Barrier-Backed Mat (Pads &amp; Rolls)</b>	✓✓✓	Low Linting	Heavy	\$\$\$	Top Spunbond Coverstock, non-skid backing (3-Ply)
	Outdoor areas specifically designed for transportation market	<b>TrackMat™ Matting (Rolls)</b>	✓✓✓	Low Linting	Heavy	\$\$\$	UV-resistant top layer and non-skid barrier backing (3-Ply)
Specialty Mats	Areas of moderate foot traffic	<b>SIR - Sorbent Industrial Rug (Rolls)</b>	✓✓✓	Low Linting	Heavy	\$\$	Needle-punched polypropylene (1-Ply)
	Eco-friendly solution for areas with light to moderate foot traffic	<b>Rag Rug Matting (Pads &amp; Rolls)</b>	✓✓	High Linting	Heavy	\$	Recycled cotton and polyester fibers (1-Ply)

## ▶ Need To Know OSHA Regulation

### 29 CFR 1910.22(a)(2) – Walking-Working Surfaces

The floor of every workroom shall be maintained in a clean and, so far as possible, a dry condition. Where wet processes are used, drainage shall be maintained, and false floors, platforms, mats, or other dry standing places should be provided where practicable.

**Specialty Product:  
Adhesive  
Backed**



## TOUGHSORB™ Permanent & Semi-Permanent Adhesive Mats

Easy adherence for high traffic aisles and walkways. Choose from permanent or semi-permanent options.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Strong needle-punched polypropylene with an adhesive backing

### Additional Features:

- **Adhesive Backing:** Permanent or semi-permanent adhesive backing adheres to surfaces to keep the absorbent in place and reduce slips, trips and falls.

### Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Construction:** Adhesive backing (2-Ply)
- Durability:** ✓✓✓
- Linting:** Low Linting
- Absorbencies:** Heavy & Medium Weight
- Cost:** \$\$\$

### Recommended For:

- Aisles and walkways
- Areas with high foot and forklift traffic
- Lining entrances and exits
- Lining tool cribs and work surfaces



*Permanent adhesive mat is protected by a clear liner that must be removed prior to use.*



*Semi-permanent adhesive mat can be applied and removed as needed making it ideal for floors and work surfaces.*



Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Permanent Adhesive Mat Rolls</b>								
<b>new</b> AD30100	Heavy Wt. Roll	30"x100'	No	8	21	29	20	1/case
<b>new</b> AD15100	Heavy Wt. Roll	15"x100'	No	8	11	15	40	1/case
<b>Semi-Permanent Adhesive Mat Rolls</b>								
<b>new</b> AD30100-BLUE	Medium Wt. Roll	30"x100'	No	8	21	29	20	1/case
<b>new</b> AD15100-BLUE	Medium Wt. Roll	15"x100'	No	8	11	15	40	1/case

**Specialty Product:  
Barrier  
Backed**



## BSM - Barrier Spill Mat

Industrial rug with non-slip and leak-proof barrier backing for use in high-traffic areas and around workstations.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Strong needle-punched polypropylene with a non-skid backing
- Durable for high traffic areas and helps eliminate slippery areas and unsightly tracking
- Tear-resistant and will not curl or buckle

### Additional Features:

- **Non-Skid Barrier Backing:** Prevents liquid from reaching the floor underneath while tacky underside reduces slips, trips and falls
- **Gray Color:** Masks spills reducing the urge to replace absorbents before fully saturated

### Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Construction:** Non-skid backing (2-Ply)
- Durability:** ✓✓✓
- Linting:** Low Linting
- Absorbencies:** Medium Weight
- Cost:** \$\$\$

### Recommended For:

- Ideal for high traffic industrial applications and in workstations
- Premium surface protection during renovation work



Catalog #	Type	Size	Perforated	Absorbency Factor (g/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Barrier Spill Rolls</b>								
BSM100	Medium Wt. Rug	36"x100'	No	8	25	24	20	1/bale

**Specialty Product:**  
**Barrier Backed**



## BRIGHTSORB™ High Visibility Barrier-Backed Mat

Absorbency, signage and durability all in one.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based). Product will not react with aggressive fluids.
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for ultimate durability

### Additional Features:

- **Barrier Backing:** Prevents liquid from reaching the floor underneath
- **Printed Message:** Warns of slips, trips and falls
- **Bright Color:** Color-coded for safety and easy separation of hazardous waste

### Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Construction:** Safety Printed Coverstock & Barrier backing (3-Ply)
- Durability:** ✓ ✓ ✓
- Linting:** Low Linting
- Absorbencies:** Heavy Weight
- Cost:** \$\$\$

### Recommended For:

- Areas with low visibility
- Lining aisles and walkways
- High-traffic areas prone to leaks, drips and spills



Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>BRIGHTSORB™ High Visibility Barrier Backed Mat Pads</b>								
<b>new</b> CHBB100	Heavy Wt. Pad	15"x19"	No	11.7	21	15.8	30	100/case
<b>BRIGHTSORB™ High Visibility Barrier Backed Mat Rolls</b>								
<b>new</b> CHBB30	Heavy Wt. Roll	30"x100'	No	11.7	27	22	12	1/bale
<b>new</b> CHBB15	Heavy Wt. Roll	15"x100'	No	11.7	13	11	24	1/bale

**Specialty Product:  
Barrier  
Backed**



**new**

## High Traffic (HT) Barrier-Backed Mat

Universal absorbent with added durability to stand up to the toughest conditions.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for ultimate durability
- Printed safety message reminds workers to exercise caution near high-risk slip, trip and fall areas

### Additional Features:

- **Printed Message:** Warns of slips, trips and falls
- **Barrier Backing:** Prevents liquid from reaching the floor underneath
- **Gray Color:** Masks spills reducing the urge to replace absorbents before fully saturated

### Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Construction:** Safety Printed Coverstock & Barrier backing (3-Ply)
- Durability:** ✓ ✓ ✓
- Linting:** Low Linting
- Absorbencies:** Heavy Weight
- Cost:** \$\$\$

### Recommended For:

- Aisles and walkways
- High-traffic areas prone to leaks, drips and spills
- Areas where a subtle safety messaging is desired



Catalog #	Type	Size	Perforated	Absorbency Factor (g/lgs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>High Traffic Barrier-Backed Mat Pads</b>								
<b>new</b> HTBB100	Heavy Wt. Pad	15"x19"	No	10.1	18	14.8	30	100/case
<b>High Traffic Barrier-Backed Mat Rolls</b>								
<b>new</b> HTBB30	Heavy Wt. Roll	30"x100'	No	10.1	23	20	12	1/bale
<b>new</b> HTBB15	Heavy Wt. Roll	15"x100'	No	10.1	12	10	24	1/bale

**Specialty Product:  
Barrier  
Backed**



## TrackMat Matting

The ultimate barrier absorbent for high volume petroleum spills.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Extremely durable absorbent with UV-resistant top layer makes it ideal for outdoor applications

### Additional Features:

- **Non-Slip Barrier Backed:** Prevents liquids from penetrating into the ground
- **Dimpled:** Adds durability & reduces linting

### Product Summary:

**Absorbs:** Oils, Coolants, Solvents and Water-based Fluids

**Construction:** Non-slip Barrier Backing (2-Ply)

**Durability:** ✓✓✓

**Linting:** Low Linting

**Absorbencies:** Heavy Weight

**Cost:** \$\$\$

### Recommended For:

- Where strength, absorbency and impermeability are needed
- Transportation companies
- Refineries and steel mills
- Railway or military



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>TrackMat Rolls</b>								
TM58	Heavy Wt. Roll	58"x80'	No	9	55	34	9	1/bale
TM29	Heavy Wt. Roll	29"x80'	No	9	20	24	18	1/bale
TM19	Heavy Wt. Roll	19"x80'	No	9	26	32	18	2/bale

**Specialty Product:  
Moderate  
Traffic**



## SIR Sorbent Industrial Rug

Designed for moderate traffic areas and workstations where there's a need for clean and safe work floors and walkways.

- Universal absorbency to handle most fluids (water, petroleum and chemical-based)
- Durable, needle-punched polypropylene fibers for moderate traffic areas (1-ply)
- Eliminates slippery areas and unsightly tracking between the plant and office areas

### Additional Features:

- **Gray Color:** Masks spills reducing the urge to replace absorbents before fully saturated

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Construction:** Needle-punched polypropylene (1-Ply)
- Durability:** ✓✓✓
- Linting:** Low Linting
- Absorbencies:** Heavy Weight
- Cost:** \$ \$

### ▶ Recommended For:

- Vehicles repair and service
- Warehouse and container terminal
- Surface protection during renovation
- Marine spills/wildlife preservation



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Sorbent Industrial Rolls</b>								
SIR36	Heavy Wt. Rug	36"x300'	No	8.5	59	50	12	1/bale
SIR36150	Heavy Wt. Rug	36"x150'	No	12.5	45	25	18	1/bale

**Specialty Product:**  
**Eco-Friendly**



## Rag Rug Matting

Eco-friendly absorbent matting made from recycled cotton and polyester fibers

- Universal absorbency to handle most fluids (water-based and petroleum-based)
- Economy rug provides good footing, masks dirt and absorbs spills
- Ideal for maintenance, repair and industrial environments

### Additional Features:

- **Eco-Friendly:** Supports corporate sustainability and LEED initiatives

### Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Construction:** Recycled fibers (1-Ply)
- Durability:** ✓ ✓
- Linting:** High Linting
- Absorbencies:** Heavy Weight
- Cost:** \$


### Recommended For:

- Ideal for high traffic industrial applications and in workstations
- Premium surface protection during renovation work



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Rag Rug Pads</b>								
RAG1818	Heavy Wt. Pads	18"x18"	No	9	38	32	24	50/case
<b>Rag Rug Rolls</b>								
RAG36150	Heavy Wt. Rug	36"x150'	No	9	55	47	6	1/bale
RAG24150	Heavy Wt. Rug	24"X150	No	9	37	52	12	1/bale





# Marine Absorbents

HIGH ABSORBENCY ON THE WATER

## Marine Absorbents

### High absorbency on the water

Brady SPC marine absorbents are specially designed to float on water and contain or absorb a wide variety of marine fuels and oils. From containment to booming and skimming operations, these absorbents will soak up unwanted fluids on lakes, rivers, streams and coastal shorelines. Marine absorbent products are made for high absorbency and rapid deployment in demanding emergency situations.



#### ► Liquids Absorbed:

- Oils
- Oil-based chemicals
- Solvents

#### ► Popular Applications:

- Marinas
- On boats & ships
- Loading docks
- Affluent pipes
- Outdoor liquid transfer points
- Fuel storage tanks



## Absorbent Booms

Brady SPC absorbent booms are designed to help you clean up oil spills on water by absorbing surface liquids.

Booms are constructed of highly absorbent polypropylene fibers encased in a durable skin that is lined with a heavy duty tow rope. The booms are fastened with three stainless steel connectors to allow for linkage and fast deployment in emergency situations as well as for strength during retrieval or when towing heavy booms saturated with oil.

### Premium SPC® Oil Only Booms

- Oil only booms absorb oil- and petroleum-based liquids while repelling water and floating indefinitely
- Strong, lint-free and gapless
- SPC5510 features two 5"x10' booms attached side by side for a double layer of absorption

### Economical ENV® Oil Only Booms

- Oil only booms absorb oil- and petroleum-based liquids while repelling water and floating indefinitely
- Features interconnectivity and a lint-free blue sleeve

### Universal Plus Chemical Booms

- Universal Plus booms absorb water-, oil- and chemical-based liquids
- Can be deployed indoors or outdoors



Premium SPC® Oil Booms

SPC5510 features booms attached side by side for double absorbency



Economical ENV® Oil Booms



Universal Plus Chemical Booms

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorb Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>Premium SPC® Oil Only Booms</b>							
SPC810	SPC Oil Boom	8"x10'	13.3	71	40	12	4/bale
SPC510	SPC Oil Boom	5"x10'	12.6	32	19	20	4/bale
SPC5510	SPC Oil Boom*	5"x10'	12.1	32	19	20	4/bale
SPC818	SPC Oil Boom	8"x18"	12.5	28	17	16	10/bale
SPC518	SPC Oil Boom	5"x18"	12.6	12	8	36	10/bale
<b>Economical ENV® Oil Booms</b>							
ENV810	ENV Oil Boom	8"x10'	13	65	38	12	4/bale
ENV510	ENV Oil Boom	5"x10'	12.6	32	19	20	4/bale
<b>Universal Plus Chemical Booms</b>							
SPCUN810	Universal Boom	8"x10'	13.3	71	19	12	4/bale
SPCUN510	Universal Boom	5"x10'	12.6	32	19	20	4/bale

\*SPC5510 features 4 booms teathered in pairs for a double layer of absorbency.

## Containment Booms

- Designed to work as a containment barrier in order to keep oil spills on water from spreading
- Ideal for use in holding ponds to retain waste and debris on the surface of the water

Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
CB612	Boom	6" Float, 12" Skirt, 100' Sections	200	3	1/case
CB305	Boom	3" Float, 4.5" Skirt, 25' Sections	22.5	11	1/case



*Designed as a containment barrier to prevent spills from spreading*

## Sweeps & Pillows

- Sweeps feature a 2-ply construction with durable blue coverstock for extra strength (for use with oil and petroleum-based fluids)
- Help skimming operations by effectively removing surface oil from the water
- 100' sections are ideal for dragging behind or connecting between two ships


Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SPC1900	Sweep	19"x100'	15	26	13	30	1/bale
SPC10	Pillow	14"x25"	12.5	52	30	10	10/bale



## Oil Nets & Drag Nets

- Flat, chemical-resistant filaments in half-pound units float in water and trap heavy oil
- Reusable after draining or dousing with #1 or #2 weight oils; extracted oil can be recycled or downgraded as fuel oil
- Use as a sweep between boats or deployed along a shoreline

Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
ODN08	Oil Only	30 nets on 50' rope	15	15	16	24	1/bale
ON030	Oil Only	30 nets (no rope)	15	15	17	24	1/bale





# Granular & Neutralizers

LOOSE, MULTI-PURPOSE ABSORBENTS

## Granular & Neutralizers

### Loose, multi-purpose absorbents

Granular absorbents are loose, multi-purpose absorbents used for liquid spill clean-up, lab packing and stabilization of free liquids. These absorbents are ideal for facilities that prefer or require the use of traditional granular absorbents.

Neutralizing polymers provide safe spill control for most acids, including battery spills. Color change indicates when neutralization has taken place.

The small, loose particles of a granular absorbent make it ideal for applications where a pad or roll would not offer a proper fit. Liquids don't always spill on a smooth surface. In those instances, a granular absorbent can absorb liquids from the cracks and crevices of a variety of surfaces.



#### ▶ Liquids Absorbed:

- Oils
- Chemicals
- Solvents

#### ▶ Popular Applications:

- Absorbing oils, solvents, lubricants, coolant and water on uneven surfaces including on roads or parking lots
- Acid or base spills requiring neutralization prior to spill cleanup

#### ▶ Must Know OSHA Silica Ruling:

One of the most common compositions for granular absorbents is diatomaceous earth, which is 80-90% silica based.

OSHA's final rule on limiting exposure to respirable crystalline silica was issued in 2016 to curb lung cancer, silicosis, chronic obstructive pulmonary disease and kidney disease. All of which have been linked to high levels of silica.

**Rely on Brady SPC absorbent pads and rolls as a safer, more efficient, non-silica solution for absorbing leaks, drips and spills.**


## SpillFix Granular Absorbent

### The new standard in loose absorbents!

- Completely natural - no carcinogens, no dust indoors; landfill and incinerator safe outdoors
- Highly effective - absorbs hydrocarbons, chemicals and water-based solutions
- Workplace friendly - natural construction prevents damage to equipment or floors; a regular occurrence with clay-based granulars
- Deploy indoors or outdoors to clean up spills in hard to reach areas

### ▶ 4X More Absorbent

A 20 lb bag of SpillFix granular absorbs 4x the liquid of traditional clay granulars.



## SpillFix Granular Absorbent

- Premium absorbent solution constructed of 100% recycled material
- Extremely effective in the absorption of hydrocarbons, water-based fluids and most aggressive chemicals
- Certified safe for landfill disposal
- Lightweight and easy to deploy

Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>new</b> SF-20	SpillFix 20LB Bag	20 lbs	4.5	7	995	48	1 pallet
<b>new</b> SF-7	SpillFix 7LB Bag	7 lbs	4.5	2	900	124	1 pallet



## SpillFix Granular SOC

- The benefits of SpillFix granular contained in a biodegradable sleeve
- Wringable for added life

Catalog #	Type	Size	Absorbency Factor (gl/g)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>new</b> SF-10BOOM	SOC	4" x 10'	4.5	6	20	48	2/case
<b>new</b> SF-5BOOM	SOC	4" x 5'	4.5	6	16	48	4/case



▶ **2015 OH&S New Product Of the Year Award in the Hazmat Safety Category.**



# Granular & Neutralizers

## Re-Form™ Granular

- 100% recycled material - safe for the environment and employee use
- Absorbs oils, solvents, lubricants, coolants, water and most non-aggressive liquids on contact
- 1:1 absorbency ratio - absorbs its own weight in oil



Catalog #	Type	Size	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
RFGRANULAR	Re-Form Granular	30 lbs	1	16.7	1950	65	1 pallet

## SPC Granular Absorbent

- All natural corn cob product for oil, grease, water and other liquids (Not for use with aggressive fluids)
- Ideal for use in aircraft maintenance, machine shops, food processing, filling lines and bulk liquid transfer stations



Catalog #	Type	Size	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
DZ100	Universal Granular	40 lbs	1.5	8.5	1600	40	1 pallet

## Acid & Base Neutralizing Polymer

- Acid neutralizer provides safe spill control for most acids, including battery spills
- Base neutralizer used for lab equipment and most bases
- Color change lets you know neutralization has taken place. Acid neutralizer changes to purple, base neutralizer changes to orange
- Non-toxic, non-corrosive and non-hazardous




Catalog #	Type	Size	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SPC-ACID	Acid Neutralizer	2lb	n/a	0.65	2	1200	1/each
SPC-BASE	Base Neutralizer	2lb	n/a	0.65	2	1200	1/each

\*SPC-ACID and SPC-BASE shaker minimum order of 10.

▶ **Want to try absorbents without a commitment?  
Request a Free Sample Pack today.**

Making the switch from granular to absorbent pads can be overwhelming. With a Brady SPC sample pack, you can put absorbent pads to the test in your facility without making any commitments.

Request a sample today at: [BradyID.com/SPC](http://BradyID.com/SPC)







**BRIGHTSORB™**  
**Safety Absorbents**  
HIGH VISIBILITY FOR LOW LIGHT AREAS

## Safety Absorbents

### BRIGHTSORB™ High Visibility Absorbents and Spill Kits

Alert your employees to the presence of safety hazards with the use of absorbent products that feature printed safety messaging and bright coloring. These polypropylene pads and rolls can be used on a wide range of fluids and are chemically inert, so they will not react with aggressive fluids.

#### BRIGHTSORB™ High Visibility Family:

All BRIGHTSORB™ absorbents start with a highly absorbent polypropylene core. The incorporation of safety messaging helps promote a culture of safety by providing a reminder to employees in the area to exercise a greater level of caution. Bright coloring is easily visible - even in low light conditions. Convert your facility to a BRIGHTSORB facility!



#### ▶ Liquids Absorbed:

- Water-based fluids
- Oil-based fluids
- Aggressive chemicals

#### ▶ Popular Applications:

- Anywhere hazardous chemicals may be present
- Low light areas
- High traffic areas
- Areas where slips, trips and falls are prevalent
- Lining workbenches and work cells
- General manufacturing and production

#### ▶ DID YOU KNOW? Slips, trips and falls...

- ... are one of the leading causes of unintentional injuries in the U.S., accounting for **approximately 8.9 million emergency room visits**<sup>1</sup>
- ... account for **15% of all accidental deaths**, the second leading cause behind motor vehicles<sup>2</sup>
- ... lead to over **17% of all disabling occupational injuries**<sup>3</sup>
- ... **could be prevented with the right precautions**



1 National Safety Council. (2011). Slips, Trips and Falls Fact Sheet. Retrieved from [http://www.nsc.org/NSCDocuments\\_Advocacy/Fact%20Sheets/Slips-Trips-and-Falls.pdf](http://www.nsc.org/NSCDocuments_Advocacy/Fact%20Sheets/Slips-Trips-and-Falls.pdf)  
2, 3 OSHA. (2007). Slips, Trips & Falls Identification & Prevention. Retrieved from [https://www.osha.gov/dte/grant\\_materials/fy07/sh-16625-07/slipstripsfalls.ppt](https://www.osha.gov/dte/grant_materials/fy07/sh-16625-07/slipstripsfalls.ppt)



## BRIGHTSORB™ High Visibility Absorbent Pads & Rolls

- Polypropylene pads and rolls handle most fluids (water, petroleum and chemical-based) and will not react with aggressive fluids
- Tough 2-ply construction increases durability and reduces lint
- Pads are ideal for wiping or catching drips while continuous rolls are ideal for covering larger areas

### Additional Features:

- **Perforated:** Select exactly the size you need
- **Dimpled:** Adds durability & reduces linting
- **Printed Message:** Warns of slip, trip and fall hazards
- **Bright Color:** Color-coded for safety even in low light

### Product Summary:

- Absorbs:** Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, Unknown Chemicals
- Coverstock:** Safety Printed Top Coverstock (2-Ply)
- Durability:** ✓ ✓
- Linting:** Low Linting
- Absorbencies:** Heavy, Medium & Light Weight
- Cost:** \$ \$ \$

### Recommended For:

- Areas with slips, trips and fall hazards
- Foot traffic areas
- Drips and spills involving hazardous chemicals
- Any industrial application utilizing aggressive fluids



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>Absorbent Pads</b>								
CH100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	28	16	30	100/case
CH200	Light Wt. Pad	15"x19"	Yes, 7.5"	18	28	16	22	200/case
<b>Absorbent Rolls</b>								
CH30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	40	25	12	1/case
CH15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	20	14	24	1/case
CH303	Medium Wt. Roll	30"x300'	Yes, 15" and every 15"	12.5	70	40	8	1/bale



## BRIGHTSORB™ High Visibility Barrier-Backed Mats

Absorbency, signage and durability all in one.

- Polypropylene mats handle most fluids (water, petroleum and chemical-based) and will not react with aggressive fluids
- Non-skid, barrier-backed 3-ply construction with spunbond coverstock for ultimate durability

### Additional Features:

- **Barrier Backing:** Prevents liquid from reaching the floor underneath
- **Printed Message:** Warns of slip, trip and fall hazards
- **Bright Color:** Color-coded for safety even in low light

### ▶ Product Summary:

- Absorbs:** Oils, Coolants, Solvents and Water-based Fluids
- Construction:** Safety Printer Coverstock & Barrier backing (3-Ply)
- Durability:** ✓ ✓ ✓
- Linting:** Low Linting
- Absorbencies:** Heavy Weight
- Cost:** \$\$\$

### ▶ Recommended For:

- Areas with low visibility
- Lining aisles and walkways
- High-traffic areas prone to leaks, drips and spills



Catalog #	Type	Size	Perforated	Absorbency Factor (g/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>BRIGHTSORB™ High Visibility Barrier Backed Mat Pads</b>								
<b>new</b> CHBB100	Heavy Wt. Pad	15"x19"	No	11.7	21	15.8	30	100/case
<b>BRIGHTSORB™ High Visibility Barrier Backed Mat Rolls</b>								
<b>new</b> CHBB30	Heavy Wt. Roll	30"x100'	No	11.7	27	22	12	1/bale
<b>new</b> CHBB15	Heavy Wt. Roll	15"x100'	No	11.7	13	11	24	1/bale

## BRIGHTSORB™ High Visibility SOCs and Pillows

- Polypropylene SOCs handle most fluids (water, petroleum and chemical-based) and will not react with aggressive fluids
- SOCs feature flexible design that easily molds around equipment, containing fluids from reaching nearby aisles and walkways
- Pillows are ideal for extra protection during packaging and transport or use under spill pallets or machines that are known to drip or leak



Catalog #	Type	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>SOCs</b>							
<b>new</b> CH124	SOC	3"x12'	9	12	12	40	4/case
<b>new</b> CH412	SOC	3"x4'	9	12	12	40	12/case
<b>Pillows</b>							
<b>new</b> CH1818	Pillow	18"x18"	12.5	14	9.5	15	16/case

## BRIGHTSORB™ High Visibility Spill Kits **new**

When a spill occurs, use spill kits for quick and efficient clean up.

Kits include everything you need to contain your spill – a variety of absorbents, PPE and instructions. These BRIGHTSORB™ polypropylene spill kits handle most fluids (water, petroleum and chemical-based) and will not react with aggressive fluids. Their bright color and printed message warn of the potential for slip, trip and fall hazards during spill clean-up.



### BRIGHTSORB™ MAXX® Packs

- Mini-packs in resealable zipper bags
- 20 durable 2-ply pads
- Kit dimensions: 15.5"L x 19.5"W x 20.5"H

**Contents:**

- 20 pads (15" x 19")

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>new</b> MXP-C20	BRIGHTSORB Chemical	30	14	24	5/case

### BRIGHTSORB™ Economy Spill Kit

- Highly visible, yellow PVC bag for small spills
- Absorbs up to 5 gallons per kit
- Kit dimensions: 20"L x 16"W x 4"H

**Contents:**

- 10 pads (15" x 19")
- 2 SOCs (3" x 4')
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>new</b> SKCH-PP	BRIGHTSORB Chemical	5	5	20	4/case



## BRIGHTSORB™ 6.5-Gallon Spill Bucket

- Fast and small response with easily accessible spill kit in a reusable bucket
- Absorbs up to 9 gallons per kit
- Kit Dimensions: 14"Dia. x 18"H

### Contents:

- 10 pads (15" x 19")
- 3 SOCs (3" x 4')
- 2 disposal bags
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>new</b> SKCH-BKT	BRIGHTSORB Chemical	9	8	36	1/each



## BRIGHTSORB™ 20-Gallon Lab Pack

- UN-approved water and chemical resistant polyethylene container with screw top lid for medium response
- Absorbs up to 17 gallons per kit
- Kit Dimensions: 21"Dia. x 18"H

### Contents:

- 12 pads (15" x 19")
- 3 SOCs (3" x 12')
- 2 pillows (18" x 18")
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>new</b> SKCH-20	BRIGHTSORB Chemical	17	26	12	1/each



## BRIGHTSORB™ 55-Gallon Drum

- Lever locked 55-gallon drum meets UN specifications and is ideal for medium spills
- Absorbs up to 38 gallons per kit
- Kit Dimensions: 24"Dia. x 37"H

### Contents:

- 50 pads (15" x 19")
- 4 SOCs (3" x 12')
- 8 pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>new</b> SKCH-55	BRIGHTSORB Chemical	38	52	8	1/each



## BRIGHTSORB™ 95-Gallon Overpack

- Tough, secure, screw-topped overpack drum for large spills meets UN and DOT specifications
- Absorbs up to 75 gallons per kit
- Kit Dimensions: 31.5"Dia. x 35"H

### Contents:

- 110 pads (15" x 19")
- 12 SOCs (3" x 4')
- 8 SOCs (3" x 12')
- 8 pillows (18" x 18")
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>new</b> SKCH-95	BRIGHTSORB Chemical	75	104	2	1/each



# Spill Kits & Containment

KEEPING YOU SAFE FROM UNEXPECTED SPILLS OR LEAKS

## Spill Kits & Containment

### Keeping you safe from unexpected spills or leaks

A proper spill containment plan can help create a safe and productive work environment for your employees. Brady SPC spill containment products help to prepare and protect any facility with solutions for unexpected accidents. Absorbent storage centers and spill kits provide fast-response solutions for unplanned spills of oils, solvents, coolants and other fluids. Brady SPC drains, spill decks, berms, pans and pallets also help ensure facility safety by catching, controlling and containing unexpected leaks, drips and spills.



#### ▶ Liquids Absorbed:

- **Universal Absorbency:** Coolants, solvents, oils, paint and other water-based fluids
- **Oil Only Absorbency:** Oils, coolants, solvents and other oil-based fluids (repels water)
- **Chemical Absorbency:** Acids and bases, aggressive chemicals and other unknown chemicals

#### ▶ Popular Applications:

- Accidental or unexpected spills
- Indoor and outdoor drain applications
- Drain pans for dripping valves or faucets
- Storing absorbent products at the point of need





## Drain Protection

EPA regulations require that facilities prevent fluids from entering the environment. To effectively prevent run-off from reaching storm drains, make sure to have the appropriate drain protection on hand.

### Drain Plugs

- Conical-shaped drain plugs made from chemical-resistant PVC keep spills from entering the drainage system and feature a “metal eye” for easy insertion or removal. Then just rinse and re-use when finished

Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
PLUG6	Drain Plug	6" Plug	6	50	1/case
PLUG4	Drain Plug	4" Plug	4	50	1/case
PLUG3	Drain Plug	3" Plug	3	50	1/case
PLUG2	Drain Plug	2" Plug	2	50	1/case



### Drain Seals

- Resist water, oil and most aggressive fluids
- Easy application; soap and water cleanup for re-use
- SLIKSTOPPER drain seals are made from flexible, chemical resistant PVC and help prevent spills from flowing into drainage systems
- Spill Magnet Seals are backed with a strong magnet to tightly seal drains

Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
PVC42	Slikstopper	42" x 42"	46	20	1/case
PVC36	Slikstopper	36" x 36"	34	35	1/case
PVC24	Slikstopper	24" x 24"	14	40	1/case
PVC18	Slikstopper	18" x 18"	9	80	1/case
96229	Spill Magnet	12" dia.	1	100	1/each



SLIKSTOPPER  
PVC Drain Seal



Spill Magnet™  
Drain Seal

### Storm Drain Guards

- Non-woven polypropylene drain guards keep oil, sediment and contaminants from entering the water system
- Holds up to 40 lbs of sediment; flow rate is 500 gpm (new) and 700 gpm bypass
- DGUARD14 and DGUARD1410 feature X-TEX filter strips which increase absorbency

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
DGUARD14	Drain Guard	36" x 48" x 18"	1.4	2	36	1/case
DGUARD1410	Drain Guard	36" x 48" x 18"	14	20	20	10/case
DGUARD9	Drain Guard	36" x 48" x 18"	0.9	1	36	1/case
DGUARD910	Drain Guard	36" x 48" x 18"	9	10	20	10/case



# Spill Kits & Containment

## Drip Pans and Mats

SPC spill containment products are designed with your efficiency in mind - keeping your employees and work environment safe from unexpected drum spills or leaks.

### Drip Pans

- Durable, low profile, polyethylene drip pans easily fit under leaky drum spigots and other problem areas
- Pan and universal fill captures up to 3/4 of a gallon of liquid



Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
DPA24	Drip Pan	10" x 10"	6	20	24/case

### Drip Pad

- Provide additional durability to your pads for tougher environments
- 22 oz pad is made of flexible PVC
- 30 oz pad is made of XR5 for additional strength under the toughest conditions
- Grommet included to allow pad to be tied down



Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
<b>new</b> DRIP1720-Y	22 oz Pad	17" x 20"	2	n/a	1/each
<b>new</b> DRIP1720-B	30 oz Pad	17" x 20"	2	n/a	1/each



## Spill Decks & Pallets

SPC spill containment products help keep your employees and work environment safe from unexpected drum spills or leaks during storage and collection.

- **Solid Construction:** Injection molding ensures exceptional durability and consistent specifications
- **Standard Lip and Grate Heights:** Manufactured to standard heights to allow uninhibited movement
- **Nestable:** Remove the grates and stack for storage
- **Grate Pins:** Pins keep the grates in place during use and prevent the walls from bulging
- **Interchangeable Grates with Large Openings:** Removable grates can be used with spill decks or spill pallets (even between two and four drum pallets)



**Forklift Friendly:**  
Easily re-locate your  
decks or pallets

## Spill Decks

- Low profile, 21.2 gallon capacity, 2-drum spill decks
- Contain hazardous leaks in your drum storage and dispensing areas
- Built-in clips easily connect multiple decks  
– creating a 4, 6, 8 or more drum storage platform


Catalog #	Type	Size	Absorbency Capacity (gal)	Load Cap. (lbs)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SC-SD2	2 Drum Spill Deck	26"W x 52"L x 6"H	21.2	2,500	31	15	1/each
SC-DK	Sump Drain Kit to share capacity across multiple decks				2	100	1/case



## Spill Pallets

- Comply with governmental secondary containment regulations
- Capacity up to 128 gallons
- 2-drum or 4-drum configuration

Catalog #	Type	Size	Absorbency Capacity (gal)	Load Cap. (lbs)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SC-DP4	4-Drum Spill Pallet	52"W x 52"L x 17"H	128	2,200	89	10	1/each
SC-DP2	2-Drum Spill Pallet	26"W x 52"L x 17"H	68	1,100	46.5	10	1/each
SC-DPR	Spill Pallet Ramp	32.5"W x 70"L	n/a	650	47.5	3	1/each



*Easy loading ramp (sold separately) works with both the 2-drum and 4-drum spill pallets.*

# Spill Kits & Containment

## Spill Berms

These collapsible secondary containment berms can be used to contain spills and leaks from vehicles, machinery, tanks, drums and other industrial equipment.

### Foam Side Wall Berm

- Portable, lightweight, flexible - folds up for storage and transport
- Simple and easy to clean and maintain, re-usable
- Requires no assembly, tools or inflation - unfold and use immediately!

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt (lbs)	Quantity
<b>new</b> FW181804-Y	Foam Berm	18" x 18" x 4"	5	2	1/each
<b>new</b> FW242404-Y	Foam Berm	24" x 24" x 4"	9	2.4	1/each
<b>new</b> FW363604-Y	Foam Berm	36" x 36" x 4"	20	3.8	1/each
<b>new</b> FW484804-Y	Foam Berm	48" x 48" x 4"	36	5.5	1/each
<b>new</b> FW486004-Y	Foam Berm	48" x 60" x 4"	45	6.4	1/each
<b>new</b> FW487204-Y	Foam Berm	48" x 72" x 4"	54	7.4	1/each



### L-ROD Berm

- Fully collapsible, and can be rapidly deployed
- RF welded construction made of chemical & hydrocarbon resistant polyester
- Aluminum L-Rods support the berm walls, but are easily folded to allow for entry/exit of vehicles or machinery
- Easy to clean and maintain, re-usable

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt (lbs)	Quantity
<b>new</b> LROD101012	L-ROD Berm	10' x 10' x 12"	675	42	1/each
<b>new</b> LROD101512	L-ROD Berm	10' x 15' x 12"	1010	57	1/each
<b>new</b> LROD102012	L-ROD Berm	10' x 20' x 12"	1350	73	1/each
<b>new</b> LROD151512	L-ROD Berm	15' x 15' x 12"	1520	78	1/each
<b>new</b> LROD202012	L-ROD Berm	20' x 20' x 12"	2695	125	1/each



### Vehicle Spill Berms

- Self-contained berms feature single piece construction for enhanced durability
- Requires no assembly, tools or inflation

Catalog #	Type	Size	Absorbency Capacity (gal)	Shipping Wt (lbs)	Quantity
SB-1236	Vehicle Spill Berm	12' x 36' x 1'	n/a	149	1/each
SB-1226	Vehicle Spill Berm	12' x 26' x 1'	n/a	112	1/each



## Absorbent Storage

Absorbent storage centers help to ensure fast spill response by keeping absorbents close to the point of need when an unplanned spill occurs.

### Absorbent Centers

- Use as a deployment station or mobile spill control unit
- Fits up to a 38" roll & full bales of pads - no special refills required
- Stack two or three to make a cabinet, hang it on the wall, or place it under your workbench

Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
SC-3000	Absorbent Center Without Casters	50"W x 26"H x 21-1/2"D	50	15	1/each
SC-ACC	Accessory Pack	Includes goggles, gloves, disposal bags with ties and an emergency handbook.			1 pack
SC-D15	15" Dowel Rod	15"	n/a	n/a	1 rod
SC-D40	40" Dowel Rod	40"	n/a	n/a	1 rod
SC-4	Set of 5 casters	-	n/a	n/a	1 pack
SC-MB	Wall Mount	n/a	n/a	n/a	1 each



\* Absorbents sold separately.



Set Of Casters



Accessory Pack



Wall Mount

### Spill Control Cart

- 16 gauge welded steel cart with locking handle (2 keys)
- Convenient sturdy work surface with top surface 3" backstop and one fixed interior shelf
- Spill control cart ships empty. Select a cart fill option designed to maximize space. Fill options include: (100) 15"x19" Pads, (8) Pillows, (5) 3'x 4' SOCs, (5) Disposal Bags, Goggles, Nitrile Gloves

Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Qty.
SC-Cart	Spill Control Cart	36 x 18 x 38-3/8	180	1	1/each
<b>new</b> SC-Cart-UF	Universal Fill	20" x 20" x 20"	31	8	1/each
<b>new</b> SC-Cart-OF	Oil Only Fill	20" x 20" x 20"	31	8	1/each
<b>new</b> SC-Cart-HF	Chemical Fill	20" x 20" x 20"	31	8	1/each



\* Absorbents sold separately.

### Spill Control Cabinet

- Durable construction and keyhole slots for wall hanging with 2 fully adjustable shelves
- Plexiglas window allows for easy content inventory
- Spill control cabinet ships empty. Select a cart fill option designed to maximize space. Fill options include: (50) 15"x19" Pads, (6) Pillows, (4) 3"x 4' SOCs, (5) Disposal Bags, Goggles, Handbook, Nitrile Gloves

Catalog #	Type	Size	Shipping Wt (lbs)	Pallet Qty.	Qty.
SC-Cabinet	Spill Control Cabinet	19-7/8 x 14-1/4 x 32-3/4	45	9	1/each
<b>new</b> SC-Cabinet-UF	Universal Fill	20" x 20" x 12"	21	12	1/each
<b>new</b> SC-Cabinet-OF	Oil Only Fill	20" x 20" x 12"	21	12	1/each
<b>new</b> SC-Cabinet-HF	Chemical Fill	20" x 20" x 12"	21	12	1/each



\* Absorbents sold separately.



## **Are You Prepared?**

Absorbent programs should have both general maintenance absorbents and emergency spill response products on hand at all times for proper protection.



## Emergency Response Spill Kits to handle any type of spill.

Accidents happen, so it's better to be prepared. Brady SPC offers a complete selection of spill kits in a variety of types and sizes to equip you with everything you need to clean-up spills when they occur. Quickly and easily clean-up oils, solvents, coolants and other fluids. They are ideal for fast response to critical accidents.



### ▶ Liquids Absorbed:

<b>Universal</b>	For oil, water-based and chemical liquids
<b>Oil Only</b>	For oil and petroleum-based liquids
<b>Mixed (Universal &amp; Oil Only)</b>	For indoor/outdoor use. Kits contain both all-purpose universal absorbents and water-repellent oil only absorbents for petroleum and oil-based liquids
<b>Chemical</b>	For aggressive and hazardous liquids
<b>BRIGHTSORB™</b>	For all liquids. Bright Safety messaging signals to those in and around the spill containment area to exercise caution.
<b>Re-Form</b>	Universal absorbents that are eco-friendly
<b>TAA Compliant</b>	Complies with the Trade Agreements Act

### Where should Spill Kits be located?

Worker productivity and efficiencies can be improved dramatically by strategically placing spill kits or absorbent storage centers around the facility, closer to areas of need. For both emergency response and routine maintenance and safety, employees should not be wandering away from their workstation to the other side of the plant or tool room to find the absorbent materials they need.



Shipping Docks



Freight Vehicles



Plant Floor



Maintenance Areas

### Trade Agreement (TAA) Compliant Kits

GSA Schedule Contracts are subject to the Trade Agreements Act (TAA), meaning all products listed on the GSA Schedule Contract must be manufactured or "substantially transformed" in a "designated country." The designated countries are comprised of:

- World Trade Organization government procurement agreement countries
- Free trade agreement countries
- Least developed countries & Caribbean basin countries

## ► Spill Procedure Guide: What To Do When A Spill Occurs

When a spill happens, time is of the essence to make sure quick and safe clean-up occurs. Here are some helpful hints to make sure you, your employees and the environment are protected.

### 1. Risk Assessment

Evaluate the type of material spilled and identify the source. If you are NOT familiar with the liquid and its chemical properties, vacate the area and contact proper authorities.

### 2. Protective Clothing

Wear the appropriate protective gear for the situation. If the source or the material is not identifiable, assume the worst.

### 3. Containment

Contain the liquid and seal drains.

### 4. Stop the Source

Close valves, rotate punctured drums and plug leaks where it is possible and safe to do so.

### 5. Begin Clean Up

Use Brady SPC absorbents to absorb spilled liquids.

### 6. Contact Authorities

Report the spill to proper legal authorities in your community. Be sure to fill out all necessary reports in accordance with local laws.

### 7. Disposal of Used Material

Absorbent materials take on the characteristics of whatever they absorb. Be sure to dispose of used absorbents and spilled liquids in accordance with local laws.

### 8. Decontaminate

Clean all tools and reusable materials properly before reuse.

### 9. Restock Materials

Replace absorbent materials and safety equipment used in any clean-up operation.

### 10. Review Contingency Plans and Procedures!



*PLEASE NOTE: THE SPC SPILL KIT IS A STOP-GAP MEASURE FOR MINOR SPILL CLEAN-UP. IF A SERIOUS SPILL OCCURS, CONTACT LOCAL AUTHORITIES FOR DIRECTION AND ASSISTANCE FOR THE PROBLEM. DUE TO THE POSSIBLE TOXIC AND HAZARDOUS FLUID ABSORBED, BRADY DOES NOT RECOMMEND DISPOSAL PROCEDURES.*



**Small**

Medium

Large

## Small Spill Response Kits

These kits are portable and have a small foot print - perfect for placement throughout your facility. Include them in each work cell, maintenance area, laboratory and on storage carts to ensure you're prepared when a spill occurs.



### MAXX® Packs

- Mini-packs in resealable zipper bags
- 20 durable 2-ply pads
- Kit dimensions: 15.5"L x 19.5"W x 20.5"H

**Contents:** 20 pads (15" x 19")



Available with BRIGHTSORB™  
High Visibility Absorbents

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
MXP-U20	Universal	30	14	24	5/case
MXP-O20	Oil Only	35	15	24	5/case
<b>new</b> MXP-C20	BRIGHTSORB Chemical	30	14	24	5/case

### BASIC Spill Kits

- Small selection of pads, SOCs and PPE makes these kits a perfect option for work cells, vehicles and small spaces
- Kit contained in a resealable, clear plastic bag
- Kit dimensions: 4.5"L x 15"W x 18"H

**Contents:**

- 10 pads (15" x 19")
- 2 SOCs (3" x 4')
- 1 disposal bag
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet



Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>new</b> SKA-BSC	Universal	3	7	40	1/case
<b>new</b> SKO-BSC	Oil Only	3	7	40	1/case

### Attack Pac Spill Kit

- Space saving, single use kit, packed in puncture and UV resistant foil bag (includes grommet for hanging)
- Absorbs up to 7 gallons per kit
- Kit dimensions: 20"L x 16"W x 4"H

**Contents:**

- 15 pads (15" x 19")
- 3 SOCs (3" x 4')
- 1 disposal bag
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet



Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-ATK	Universal	7	36.5	24	4/case
SKA-ATK-TAA	Universal	7	36.5	24	4/case
SKO-ATK	Oil Only	7	23	24	4/case
SKH-ATK	Chemical	7	25	24	4/case
SKR-ATK	Re-Form	7	36.5	24	4/case

**Small**

Medium

Large

## Small Spill Response Kits (cont.)



Available with **BRIGHTSORB™**  
High Visibility Absorbents

### Economy Spill Kit

- Highly visible, yellow PVC bag for small spills; the right price, the right size and the right value
- Absorbs up to 5 gallons per kit
- Kit dimensions: 20"L x 16"W x 4"H

**Contents:**

- 10 pads (15" x 19")
- 2 SOCs (3" x 4')
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-PP	Universal	5	24	20	4/case
SKA-PP-TAA	Universal	5	24	20	4/case
SKO-PP	Oil Only	5	24	20	4/case
<b>new</b> SKCH-PP	BRIGHTSORB Chemical	5	24	20	4/case
SKH-PP	Chemical	5	24	20	4/case
SKR-PP	Re-Form	5	24	20	4/case

### Emergency Response Kit

- Quickly assess the absorbents you have through the clear shoulder bag when you respond to the spill
- Absorbs up to 15 gallons per kit
- Kit Dimensions: 25.5"L x 17"W x 21.5"H

**Contents:**

- 32 pads (15" x 19")
- 5 SOCs (3" x 4')
- 1 pillow (18" x 18")
- 2 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet



Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-CFB	Universal	15	25	24	1/case
SKO-CFB	Oil Only	15	25	24	1/case
SKH-CFB	Chemical	15	25	24	1/case

### Emergency Spill Sak

- Portable economy spill kit packed in a reusable sack
- Absorbs up to 10 gallons per kit
- Kit dimensions: 32"L x 20"W x 12"H

**Contents:**

- 10 pads (15" x 19")
- 2 SOCs (3" x 12')
- 1 pillow (18" x 18")
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet



Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-SAK	Universal	10	10	40	1/each
SKO-SAK	Oil Only	10	10	40	1/each
SKH-SAK	Chemical	10	10	40	1/each

**Small**

Medium

Large

## Small Spill Response Kits (cont.)



### 2-Gallon Spill Response Plus Kit

- Small sized absorbents are versatile, durable and low linting
- Ideal for hospitality, retail, restaurants or anywhere that requires a small pad
- Absorbs up to 4.5 gallons per kit
- Kit Dimensions: 9.75" Dia. x 10.5"

**Contents:**

- 20 pads (7.5" x 10")
- 1 pair of nitrile gloves
- 1 instruction sheet
- 1 disposable bag
- 1 pair of goggles

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-SRP	Universal	4.5	2.5	48	1/each
SKO-SRP	Oil Only	4.5	2.5	48	1/each
SKH-SRP	Chemical	4.5	2.5	48	1/each



### Mobile Spill Kaddie

- Mobile, compact emergency kit for fast spill response anywhere in the plant
- Absorbs up to 22 gallons per kit
- Kit Dimensions: 18"L x 17"W x 39"H

**Contents:**

- 1 roll (15" x 73")
- 5 disposal bags
- Emer. Response Guidebook
- 5 SOCs (3" x 4")
- 1 pair goggles
- 1 pair nitrile gloves
- 8 pillows (10" x 10")

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-K2	Universal	22	42	10	1/each
SKO-K2	Oil Only	22	42	10	1/each
SKH-K2	Chemical	22	42	10	1/each
SKA-K2R	Universal Refill*	22	25	20	1/each
SKO-K2R	Oil Only Refill*	22	25	20	1/each
SKH-K2R	Chemical Refill*	22	25	20	1/each

\*Refills do not include the container.

### ▶ Refills Make Restocking Quick & Easy

A critical step after a spill is cleaned up is to restock your spill kit in preparation for future spills. Many of Brady SPC's spill kits have refills available, making it easy for you to restock your spill kit with the appropriate products and quantities.



**Small**

Medium

Large

## Small Spill Response: Vehicle Spill Kits

Spills are common during transportation. Make sure your fleet is outfitted with the appropriate kit to quickly attend to any spill when en route.



### Economy Vehicle Spill Kits

- Compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage cubby
- Universal and oil only products for mixed fluid applications
- Absorbs up to 7.75 gallons per kit

**Contents:**

- 10 oil only pads (15" x 19")
- 10 universal pads (15" x 19")
- 2 SOCs (3"x 42")
- 1 putty pat
- 2 disposable bags
- 1 pair of goggles
- 1 pair of nitrile gloves

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
BSCSK-CB	Vehicle Spill Kit	7.75	7	50	1/each



### Camouflaged Vehicle Spill Kits

- Mobile, compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage cubby
- Universal and oil only products for mixed fluid applications
- Absorbs up to 11.5 gallons per kit

**Contents:**

- 20 oil only pads (15" x 19")
- 10 universal pads (15" x 19")
- 3 SOCs (3"x 42")
- 1 putty pat
- 2 disposable bags
- 1 pair of nitrile gloves
- 1 pair of goggles

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SK-CAMO	Camouflaged Spill Kit	11.5	9	50	1/each



**new**

### Poly-Edge™ Mountable Spill Kit

- Slotted footprint makes mounting easy
- Constructed of lightweight 100% polyethylene that will not rust or corrode
- Water-resistant gasket keeps stored items dry
- Absorbs: up to 20 gallons per kit
- Kit Dimensions: 35"H x 16"W x 16"D

**Contents:**

- 25 pads (15" x 19")
- 4 SOCs (3"x 12")
- 1 drain cover
- 2 disposable bags
- 1 hazmat suit
- 1 pair of goggles
- 1 pair of nitrile gloves
- 1 instruction sheet

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>new</b> SKA-TRK	Universal	20	40	12	1/each
<b>new</b> SKO-TRK	Oil Only	20	40	12	1/each

**Small**

Medium

Large

## Small Spill Response: 6.5-Gallon Spill Kits

One of our most popular, these 6.5 gallon spill kits are the perfect size to combat common, smaller spills within your facility. The durable bucket protects your spill kit contents and allows for easy storage. Choose from general purpose 6.5 gallon spill kits or one of four specialty kits designed specifically to address common fluid spill needs.



Available with **BRIGHTSORB™**  
High Visibility Absorbents

### 6.5-Gallon Spill Bucket

- Fast and small response with easily accessible spill kit in a reusable bucket
- Absorbs up to 9 gallons per kit  
Kit Dimensions: 14" Dia. x 18"H

**Contents:**

- 10 pads (15" x 19")
- 2 disposal bags
- 1 instruction sheet
- 3 SOCs (3" x 4')
- 1 pair nitrile gloves

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-BKT	Universal	9	9	36	1/each
SKA-BKT-TAA	Universal	9	9	36	1/each
SKO-BKT	Oil Only	9	9	36	1/each
<b>new</b> SKCH-BKT	BRIGHTSORB Chemical	9	8	36	1/each
SKH-BKT	Chemical	9	8	36	1/each

### Bodily Fluid Spill Kit

- Assortment of pads, neutralizer, SOCs and the appropriate PPE will make cleaning up bodily fluids safer and more efficient
- Reusable screw top bucket keeps contents clean and easily accessible
- Absorbs up to 9 gallons per kit  
Kit Dimensions: 14" Dia. x 18"H

**Contents:**

- Granular (1 lb.)
- 1 case sanitary wipes
- 1 small scoop and scraper
- 10 barrier-backed pads (15" x 19")
- 1 pair goggles
- 1 pair neoprene gloves
- 2 disposal bags
- 1 apron



Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>new</b> SK-BF	Bodily Fluid Spill Kit	9	9	36	1/each

**Small  
Specialty**

## Small Spill Response: Specialty Kits

These specialty 6.5 gallon spill kits are the perfect size to combat common, smaller spills within your facility. The durable bucket protects your spill kit contents and allows for easy storage.



**2lb Neutralizing Shakers**  
Also Sold Individually

### 6.5 Gallon Acid/Base Neutralizer Spill Kit

- Used to solidify a wide range of spills
- Polymers will neutralize and change color to let you know neutralization has taken place. Acid neutralizer changes to purple, base neutralizer changes to orange.
- Absorbs up to 4.5 gallons per kit  
Kit Dimensions: 14"Dia. x 18"H

**Contents:**

- 1.5 gallon bucket
- 2 SOCs (3" x 4')
- 1 pair nitrile gloves
- 1 neutralizer shaker (2 lb.)
- 2 disposal bags
- 1 Tyvek Suit
- 10 pads (15" x 19")
- 1 pair goggles
- 1 small scoop

Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-BKTACID	Acid Neutralizing Kit	4.5	16.5	36	1/each
SKA-BKTBASE	Base Neutralizer Kit	4.5	16.5	36	1/each
SPC-ACID	Acid Neutralizing Polymer Shaker Only (2lb)	0.65	2	1200	1/each*
SPC-BASE	Base Neutralizing Polymer Shaker Only (2lb)	0.65	2	1200	1/each*

\*SPC-ACID and SPC-BASE shaker minimum order of 10.



### Battery Acid Spill Kit

- Granular, neutralizer and the appropriate absorbents will help simplify the battery acid spill clean up process
- Reusable screw top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit  
Kit Dimensions: 14"Dia. x 18"H

**Contents:**

- Granular (1 lb.)
- 2 disposal bags
- 1 faceshield
- 1 neutralizer shaker (2 lb.)
- 1 pair goggles
- 1 small scoop and scraper
- 10 pads (15" x 19")
- 1 pair neoprene gloves
- 2 SOCs (3" x 4')
- 1 apron

Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>new</b> SK-BATT	Battery Acid Spill Kit	9	9	36	1/each

**Small  
Specialty**

## Small Spill Response: Specialty Kits (cont.)



**new**

### Mercury Spill Kit

- Mercury powder is specifically designed to neutralize mercury spills. Then wipe clean with absorbent pads and scoop up any particles that remain.
- Reusable screw top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit  
Kit Dimensions: 14"Dia. x 18"H

**Contents:**

- Mercury absorbent powder (2 lb.)
- 10 pads (15" x 19")
- 2 disposal bags
- 1 pair goggles
- 1 pair neoprene gloves
- 1 small scoop and scraper

Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>new</b> SK-MERC	Mercury Spill Kit	9	9	36	1/each



**new**

### Formaldehyde Spill Kit

- Reusable screw top bucket keeps contents clean and easily accessible
- Absorbs up to 4.5 gallons per kit  
Kit Dimensions: 14"Dia. x 18"H

**Contents:**

- Granular (1 lb.)
- 1 acid neutralizer shaker (2 lb.)
- 10 pads (15" x 19")
- 2 disposal bags
- 1 pair goggles
- 1 pair neoprene gloves
- 1 respirator
- 1 small scoop and scraper

Catalog #	Type	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
<b>new</b> SK-FORM	Formaldehyde Spill Kit	9	9	36	1/each

### Spill Kit Tamper Proof Label **new**

When a spill occurs, you need your spill kit to be fully intact. Use Brady SPC Tamper Proof labels to indicate if a spill kit has been opened and may need replacing.

Catalog #	Type	Size	Qty.
<b>new</b> TAMPER	Tamper Proof Label	3.5" x 5"	5/pack



Small

**Medium**

Large

## Medium Spill Response: 20-Gallon Spill Kits

Easily deployable 20 gallon spill kits absorb up to 17 gallons. They are perfect for medium-sized spills throughout your facility - particularly in areas with fluid transfer.



Available with **BRIGHTSORB™**  
High Visibility Absorbents

### 20-Gallon Lab Pack

- UN-approved water and chemical resistant polyethylene container with screw top lid for medium response
- Absorbs up to 17 gallons per kit  
Kit Dimensions: 21"Dia. x 18"H

**Contents:**

- 12 pads (15" x 19")
- 3 disposal bags
- Emer. Response Guidebook
- 3 SOCs (3" x 12')
- 1 pair goggles
- 2 pillows (18" x 18")
- 1 pair nitrile gloves

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-20	Universal	17	26	12	1/each
SKA-20-TAA	Universal	17	26	12	1/each
SKO-20	Oil Only	17	26	12	1/each
<b>new</b> SKCH-20	BRIGHTSORB Chemical	17	26	12	1/each
SKH-20	Chemical	17	26	12	1/each
SKA20-R	Universal Refill*	17	13	16	1/each
SKO20-R	Oil Only Refill*	17	13	16	1/each
SKH20-R	Chemical Refill*	17	13	16	1/each

\*Refills do not include the container.

### 20-Gallon Mixed Application Spill Kit

- For response to both water-based & petroleum-based spills
- Absorbs up to 15 gallons per kit  
Kit Dimensions: 21"Dia. x 18"H

**Contents:**

- 6 universal pads (15" x 19")
- 3 disposal bags
- 6 oil only pads (15" x 19")
- 1 pair goggles
- 1 universal pillow (18" x 18")
- 1 pair nitrile gloves
- 1 oil only pillow (18" x 18")
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKMA-20	Mixed	17	20	12	1/each

### 20-Gallon Rescue Spill Kit

- "Caution" tape and a "Wet Floor" sign help prevent slips, trips and falls while a spill is being cleaned up
- Absorbs up to 20 gallons per kit  
Kit Dimensions: 21"Dia. x 18"H

**Contents:**

- 12 pads (15" x 19")
- 1 pair goggles
- 1 wet floor sign (18")
- 3 SOCs (3" x 12')
- 1 pair nitrile gloves
- Emer. Response Guidebook
- 2 pillows (18" x 18")
- 1 roll caution tape (3" x 200')
- 3 disposal bags

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-20-RESCUE	Universal	17	20	12	1/each
SKO-20-RESCUE	Oil Only	17	20	12	1/each
SKH-20-RESCUE	Chemical	17	20	12	1/each





Small  
**Medium**  
Large

## Medium Spill Response: 30-Gallon Spill Kits

Looking for something a little larger? Look no further than the 30 gallon kit. Absorbing up to 36 gallons, these kits are perfect for medium-sized spills. Store throughout your facility - particularly in areas where fluid transfer is prevalent.



### 30-Gallon Spill Kit

- UN-approved water and chemical resistant polyethylene container with screw top lid for medium response
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 29 gallons per kit  
Kit dimensions: 21.125" Dia. x 28.5"H

#### Contents:

- 25 pads (15" x 19")
- 6 SOCs (3" x 12')
- 6 pillows (9" x 9")
- 3 disposal bags
- 1 pair goggles
- 1 pair of nitrile gloves
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA30	Universal	36	41	12	1/each
SKA30TAA	Universal	36	41	12	1/each
SKO30	Oil Only	36	41	12	1/each
SKH30	Chemical	36	41	12	1/each
SKA30-R	Universal Refill*	36	28	12	1/each
SKO30-R	Oil Only Refill*	36	26	12	1/each
SKH30-R	Chemical Refill*	36	28	12	1/each

\*Refills do not include the container.



### 30-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 29 gallons per kit  
Kit dimensions: 21.125" Dia. x 28.5"H

#### Contents:

- 15 universal pads (15" x 19")
- 15 oil only pads (15" x 19")
- 3 universal SOCs (3" x 12')
- 3 oil only SOCs (3" x 12')
- 3 universal pillows (18" x 18")
- 3 oil only pillows (18" x 18")
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKMA-30	Mixed	29	41	12	1/each

Small  
Medium  
**Large**

## Medium Spill Response: 55-Gallon Spill Kits

55 gallon spill kits are essential in any facility. Keep them near entrances and exits for emergency deployment to prevent facility spills from entering the environment.



Available with **BRIGHTSORB™**  
High Visibility Absorbents



Also available as a  
wheeled spill kit

### 55-Gallon Drum

- Lever locked 55-gallon drum meets UN specifications and is ideal for medium spills
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 38 gallons per kit
- Kit Dimensions: 24"Dia. x 37"H  
Wheeled Kit Dimensions: 23"Dia. x 37"H

#### Contents:

- 50 pads (15" x 19")
- 4 SOCs (3" x 12')
- 8 pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA55	Universal	38	57	8	1/each
SKA55-TAA	Universal	38	56	8	1/each
SKO55	Oil Only	38	56	8	1/each
<b>new</b> SKCH-55	BRIGHTSORB Chemical	38	52	8	1/each
SKH55	Chemical	38	52	8	1/each
SKA55W	Universal w/ Wheels	38	57	8	1/each
SKO55W	Oil Only w/ Wheels	38	56	8	1/each
SKH55W	Chemical w/ Wheels	38	52	8	1/each
SKA55-R	Universal Refill*	38	37	8	1/each
SKO55-R	Oil Only Refill*	38	37	8	1/each
SKH55-R	Chemical Refill*	38	37	8	1/each

\*Refills do not include the container.

### 55-Gallon Mixed Application Spill Kit

- A single spill kit to respond to spills of water-based and petroleum-based spills
- Absorbs up to 46 gallons per kit
- Kit Dimensions: 24"Dia. x 37"H  
Wheeled Kit Dimensions: 23"Dia. x 37"H

#### Contents:

- 25 universal pads (15" x 19")
- 25 oil only pads (15" x 19")
- 2 universal SOCs (3" x 12')
- 2 oil only SOCs (3" x 12')
- 4 universal pillows (18" x 18")
- 4 oil only pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKMA-55	Mixed	46	52	8	1/each
SKMA-55W	Mixed w/ Wheels	46	52	8	1/each



Also available as a  
wheeled spill kit



## Large Spill Response: 65-Gallon Spill Kits

If you require a larger selection of emergency items but don't have enough space for a 95-gallon kit, the 65 gallon kit is the perfect solution. These kits have almost double the absorbents of a 55-gallon kit without doubling in size.



Also available as a wheeled spill kit

### 65-Gallon Spill Kit

- UN-approved water and chemical resistant polyethylene overpack drum with screw top lid is reusable and meets DOT specifications
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 63 gallons per kit
- Kit dimensions: 31"Dia. x 33.5"H  
Wheeled Kit dimensions: 31"Dia. x 42"H

**Contents:**

- 100 pads (15" x 19")
- 7 SOCs (3" x 12')
- 7 pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair of nitrile gloves
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA65	Universal	63	100	3	1/each
SKA65TAA	Universal	63	100	3	1/each
SKO65	Oil Only	63	100	3	1/each
SKH65	Chemical	63	100	3	1/each
SKA65W	Universal w/ Wheels	63	100	3	1/each
SKO65W	Oil Only w/ Wheels	63	100	3	1/each
SKH65W	Chemical w/ Wheels	63	100	3	1/each
SKA65-R	Universal Refill*	63	40	3	1/each
SKO65-R	Oil Only Refill*	63	40	3	1/each
SKH65-R	Chemical Refill*	63	40	3	1/each

\*Refills do not include the container.



Also available as a wheeled spill kit

### 65-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 65 gallons per kit
- Kit dimensions: 31"Dia. x 33.5"H  
Wheeled Kit dimensions: 31"Dia. x 42"H

**Contents:**

- 50 universal pads (15" x 19")
- 50 oil only pads (15" x 19")
- 4 universal SOCs (3" x 12')
- 3 oil only SOCs (3" x 12')
- 4 universal pillows (18" x 18")
- 3 oil only pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKMA-65	Mixed	65	100	3	1/each
SKMA-65W	Mixed w/ Wheels	65	100	3	1/each

# Spill Kits & Containment

Small  
Medium  
**Large**

## Large Spill Response: 95-Gallon Spill Kits

95 gallon kits will keep you prepared for almost any spill. Keep these on hand in areas where the likelihood of larger spills is greatest.



Available with BRIGHTSORB™ High Visibility Absorbents



Also available as a wheeled spill kit

### 95-Gallon Overpack

- UN-approved water and chemical resistant polyethylene overpack drum with screw top lid is reusable and meets DOT specifications
- Refill kits are available for easy re-stocking after a spill
- Absorbs up to 75 gallons per kit
- Kit Dimensions: 31.5"Dia. x 35"H  
Wheeled Kit Dimensions: 31.5"Dia. x 47"H

#### Contents:

- 110 pads (15" x 19")
- 12 SOCs (3" x 4')
- 8 SOCs (3" x 12')
- 8 pillows (18" x 18")
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-95	Universal	75	107	2	1/each
SKO-95	Oil Only	75	107	2	1/each
<b>new</b> SKCH-95	BRIGHTSORB Chemical	75	104	2	1/each
SKH-95	Chemical	75	104	2	1/each
SKA-95W	Universal w/ Wheels	75	107	2	1/each
SKO-95W	Oil Only w/ Wheels	75	107	2	1/each
SKH-95W	Chemical w/ Wheels	75	104	2	1/each
SKA95-R	Universal Refill*	75	60	3	1/each
SKO95-R	Oil Only Refill*	75	60	3	1/each
SKH95-R	Chemical Refill*	75	60	3	1/each

\*Refills do not include the container.

### 95-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 77 gallons per kit
- Kit Dimensions: 31.5"Dia. x 35"H  
Wheeled Kit Dimensions: 31.5"Dia. x 47"H

#### Contents:

- 55 universal pads (15" x 19")
- 55 oil only pads (15" x 19")
- 6 universal SOCs (3" x 4')
- 6 oil only SOCs (3" x 4')
- 4 universal SOCs (3" x 12')
- 4 oil only SOCs (3" x 12')
- 4 universal pillows (18" x 18")
- 4 oil only pillows (18" x 18")
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKMA-95	Mixed	77	107	2	1/each
SKMA-95W	Mixed w/ Wheels	77	107	2	1/each



Also available as a wheeled spill kit



## X-Large Spill Response: Mobile Spill Trucks

In the event of a substantial spill, keep your facility prepared. Mobile spill trucks are filled with all of the essentials you'll need for major spill clean-up.



### Mobile Spill Truck - Large

- Wheel mounted polyethylene bins are chemical and water resistant. Spill trucks provide the highest level of readiness
- Absorbs up to 169 gallons per kit.
- Kit Dimensions: 47”L x 34”W x 43”H

**Contents of SKA-LT, SKH-LT and SKO-LT:**

- 200 pads (15” x 19”)
- 24 SOC's (3” x 4’)
- 12 SOC's (3” x 12’)
- 8 pillows (17” x 19”)
- 15 disposal bags
- 1 pair goggles
- 3 pair nitrile gloves
- Emer. Response Guidebook

**Contents of SKM-LT Marine Kit:**

- 400 pads (15” x 19”)
- 4 booms (5” x 10’)
- 1 sweep (19” x 100’)
- 15 disposal bags
- 6 pairs of nitrile gloves
- 1 pair goggles
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-LT	Universal	134	164	1	1/each
SKO-LT	Oil Only	126	185	1	1/each
SKM-LT	Marine	169	164	1	1/each



### Mobile Spill Truck - X-Large

- Mobile spill response kit in water/chemical resistant large bin
- Absorbs up to 282 gallons per kit
- Kit Dimensions: 57.5”L x 40.5”W x 47”H

**Contents of SKA-XLT, SKH-XLT and SKO-XLT:**

- 250 pads (15” x 19”)
- 36 SOC's (3” x 4’)
- 20 SOC's (3” x 12’)
- 8 pillows (18” x 18”)
- 30 disposal bags
- 3 pairs of nitrile gloves
- 1 pair goggles
- Emer. Response Guidebook

**Contents of SKM-XLT Marine Kit:**

- 600 pads (15” x 19”)
- 8 booms (5” x 10’)
- 1 sweeps (19” x 100’)
- 15 disposal bags
- 6 pairs of nitrile gloves
- 1 pair goggles
- Emer. Response Guidebook

Catalog #	Type	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-XLT	Universal	184	221	1	1/each
SKO-XLT	Oil Only	174	221	1	1/each
SKM-XLT	Marine	282	258	1	1/each

# Facility Safety Products

## Facility Safety Products

Brady offers a complete line of products and solutions to keep your facility safe, productive and compliant. Products including cones, warning tapes and signs help to communicate important safety and facility messages.



### Handy Cone™ Floor Signs

- Collapsible, spring-loaded, pyramid-shaped sign sets up in seconds
- Stored in a 2" diameter tube

Catalog #	Description
47380	31" Warning - People Working
47382	31" Caution - Wet Floor/Piso Mojado
47372	18" Caution - Wet Floor



### Reversible Floor Stands

- Alert employees and visitors of potential floor hazards
- Made of lightweight corrugated polypropylene material (B-836)
- Size: 12" wide x 20" h (closed)

Catalog #	Description
92280	Caution - Slippery When Wet/Wet Floor



### Traffic Cones and Snap-On Signs

- Flexible, durable warning cone in a high visibility fluorescent orange color
- Plastic snap-on signs are designed to fit on top of traffic cone like a paperclip

Catalog #	Description
80111	18" Orange Vinyl Cone
80118	10 1/2" H x 12 3/4" W Black on Orange WET FLOOR Snap-On Sign



### Reinforced Barricade Tape

- Provides fast on-the-spot warning
- 250 lbs tensile strength

Catalog #	Legend	Size	Qty.
91100	CAUTION	3" x 500'	1 roll
91102	CAUTION DO NOT ENTER	3" x 500'	1 roll
91104		3" x 500'	1 roll



### BradyLink Warning Posts

- Non-conductive, non-rusting, fillable domed base
- Post dimension: 3" dia. x 41"H post, 16" dia. base

Catalog #	Description	Color
92116	Black Large Post	Black
92117	White Large Post	White
92118	Yellow Large Post	Yellow



### BradyLink Warning Chain & Links

- Polyethylene chain designed to prevent kinking
- Chain links used to permanently attach or repair lengths of chain

Catalog #	Description
78241	100' Orange Chain
78239	100' White Chain
78238	100' Yellow Chain
78246	2" Chain Links (36/package)

## Chemical Application Guide

Universal Polypropylene Products:	Oil Only Polypropylene Products:	Chemical Polypropylene Products:	Organic Products:
<ul style="list-style-type: none"> <li>Battlemat® Absorbents</li> <li>UXT Absorbents</li> <li>HT Absorbents</li> <li>MRO Plus® Absorbents</li> <li>GP Absorbents</li> <li>Basic Universal Absorbents</li> <li>SIR &amp; BSM Mats</li> <li>ALIWIK® SOCs &amp; Pillows</li> <li>Cobra Coil® SOCs</li> </ul>	<ul style="list-style-type: none"> <li>Oil Only SOCs &amp; Pillows</li> <li>Trackmat Absorbents</li> <li>SXT® Oil Absorbents</li> <li>Oil Plus Absorbents</li> <li>SPC® Oil Absorbents</li> <li>ENV® Oil Absorbents</li> <li>Basic Oil Only Absorbents</li> <li>Static Resistant Absorbents</li> </ul>	<ul style="list-style-type: none"> <li>BRIGHTSORB™ High Visibility Absorbents</li> <li>Chemical Absorbents</li> <li>Universal Plus Absorbents</li> <li>HAZWIK SOCs &amp; Pillows</li> </ul>	<ul style="list-style-type: none"> <li>Re-Form™ Absorbents</li> <li>Re-Form™ Plus Absorbents</li> <li>Re-Form™ XPlus Absorbents</li> <li>Re-Form™ Oil Only Absorbents</li> <li>MULTIWIK® &amp; SLIKWIK® SOCs</li> <li>Dri-zorb Granular</li> <li>Re-Form™ Granular</li> <li>Rag Rug Absorbents</li> </ul>

Chemical	Universal	Oil Only	Chemical	Organic
Acetaldehyde	X		X	X
Acetic Acid	X		X	
Acetic Anhydride	X		X	
Acetone	X	X	X	X
Acetyl Chloride	X		X	
Acrolein	X	X	X	
Acrylonitrile	X		X	X
Allyl Alcohol	X		X	X
Aminobenzoic Acid	X		X	
Ammonia (Anhydrous)	X	X	X	X
Ammonium Hydroxide	X	X	X	X
Amyl Acetate	X	X	X	
Amyl Alcohol	X		X	X
Aniline	X		X	X
Antifreeze	X		X	X
Aqua Regia	X		X	
Aviation Fuel	X	X	X	X
Benzene	X	X	X	X
Benzoic Acid	X		X	
Benzonitrile	X		X	
Benzoyl Chloride	X		X	
Benzyl Alcohol	X		X	X
Boric Acid	X		X	
Brake Fluid	X	X	X	X
Bromine	X		X	
Butyl Acetate	X	X	X	
Butyl Alcohol	X	X	X	X
Butyric Acid	X	X	X	
Butylamine	X		X	X
Butyric Acid	X	X	X	
Calcium Hydroxide	X		X	
Carbolic Acid	X		X	
Carbon Disulfide	X		X	
Carbon Tetrachloride	X	X	X	X
Castor Oil	X	X	X	X
Chlorine Water	X		X	
Chloroacetic Acid	X		X	
Chlorobenzene	X		X	
Chloroform	X	X	X	X
Chromic Acid (50%)	X		X	
Chlorosulfonic Acid	X		X	
Citric Acid	X		X	
Clorox (Full Strength)	X		X	X
Corn Oil	X	X	X	X
Cottonseed Oil	X	X	X	X
Cresol	X	X	X	X
Cyclohexane	X	X	X	X

Chemical	Universal	Oil Only	Chemical	Organic
Detergents	X		X	X
Dichlorobenzene	X	X	X	
Diethylamine	X	X	X	
Diethyl Ether	X	X	X	X
Diisooctyl Phthalate	X	X	X	X
Dinitrobenzene	X	X	X	
Dioxan	X		X	X
Ether	X	X	X	X
Ethyl Acetate	X	X	X	X
Ethyl Alcohol	X	X	X	X
Ethyl Benzene	X	X	X	
Ethyl Chloride	X	X	X	
Ethyl Ether	X	X	X	X
Ethyl Propionate	X	X	X	X
Ethylene Glycol	X		X	X
Formaldehyde	X		X	X
Formic Acid	X		X	
Fuel Oil	X	X	X	X
Gasoline	X	X	X	X
Gearbox Oil	X	X	X	X
Glacial Acetic Acid	X		X	
Glycerol	X		X	X
Heptane	X	X	X	X
Hexane	X	X	X	X
Hydrazine	X		X	
Hydrochloric Acid	X		X	
Hydrofluoric Acid	X		X	
Hydrogen Cyanide	X	X	X	
Hydrogen Peroxide	X		X	X
Isobutyl Alcohol	X	X	X	X
Isobutyric Acid	X	X	X	
Isopropyl Acetate	X	X	X	X
Isopropyl Alcohol	X	X	X	X
Kerosene	X	X	X	X
Keytones	X	X	X	X
Linseed Oil	X	X	X	X
Lubricating Oil	X	X	X	X
Magnesium Hydroxide	X		X	
Methyl Alcohol	X	X	X	X
Methyl Chloride	X	X	X	
Methyl Ether	X	X	X	X
Methyl Ethyl Ketone	X	X	X	X
Methyl Propionate	X	X	X	X
Mineral Oil	X	X	X	X
Motor Oil	X	X	X	X
Naphthalene	X	X	X	X
Nitric Acid	X		X	

Chemical	Universal	Oil Only	Chemical	Organic
Nitrobenzene	X		X	
Nitrobenzoic Acid	X		X	
Nitrotoluene	X	X	X	X
Octane	X	X	X	X
Oleic Acid	X	X	X	
Olive Oil	X	X	X	X
Paraffin	X	X	X	X
Perchloroethylene	X	X	X	X
Petroleum Ether	X	X	X	X
Phenol	X		X	X
Phosphoric Acid	X		X	
Plating Solutions	X		X	
Potassium Hydroxide	X		X	
Propanol	X		X	X
Propionic Acid	X	X	X	
Propyl Alcohol	X	X	X	X
Propylene Glycol	X	X	X	X
Quinoline	X		X	
Resorcinol	X		X	
Salt Solutions (metallic)	X		X	X
Silicone Oil	X	X	X	X
Silver Nitrate	X		X	X
Soap Solution (concentrated)	X	X	X	X
Sodium Bicarbonate	X		X	X
Sodium Chloride	X		X	X
Sodium Hydroxide	X		X	
Sodium Hypochlorite	X		X	X
Sodium Nitrate	X		X	X
Stannic Chloride	X		X	
Starch	X		X	X
Styrene	X	X	X	X
Sucrose	X		X	X
Sulfuric Acid	X		X	
Synthetic Motor Oil	X	X	X	X
Tannic Acid	X		X	
Toluene	X	X	X	X
Transformer Oil	X	X	X	X
Trichloroethylene	X	X	X	X
Triethylene Glycol	X	X	X	X
Turpentine	X	X	X	X
Urine	X		X	X
Vinyl Acetate	X	X	X	X
Vinegar	X		X	X
Xylene	X	X	X	X

Disclaimer: The above information is provided as a guide only. No claims or warranties are expressed or implied as to the absolute accuracy of the data supplied. In all cases it is assumed chemicals in question are at ambient temperatures and pressure and are used in basic state, not in combination or mixtures. Small test samplings by user is always recommended to ensure safe application.

# Part Number Index

Catalog	Type	Size	Perforated	Absorb. Factor (gl/g)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity	Page
96229	Spill Magnet	12" dia.	-	-	-	1	100	1/each	89
AD15100	TOUGHSORB Adhesive Mats	15"x100'	No	8	11	15	40	1/case	66
AD15100-BLUE	TOUGHSORB Adhesive Mats	15"x100'	No	8	11	15	40	1/case	66
AD30100	TOUGHSORB Adhesive Mats	30"x100'	No	8	21	29	20	1/case	66
AD30100-BLUE	TOUGHSORB Adhesive Mats	30"x100'	No	8	21	29	20	1/case	66
AW99	Universal Pillow	9"x9"	-	12.5	14	10	40	32/case	61
AW124	ALLWIK Universal SOC	3"x12'	-	9	12	12	40	4/case	59
AW412	ALLWIK Universal SOC	3"x4'	-	9	12	12	36	12/case	59
AW430	ALLWIK Universal SOC	3"x4'	-	9	30	26	15	30/case	59
AW806	ALLWIK Universal SOC	3"x8'	-	9	12	12	30	6/case	59
AW1818	Universal Pillow	18"x18"	-	12.5	28	19	15	16/case	61
BM15	BattleMat Universal Roll	15"x150'	Yes	12.5	26	17	24	1/case	24
BM30	BattleMat Universal Roll	30"x150'	Yes	12.5	53	34.5	12	1/case	24
BPH100	BASIC Chemical Pad	15"x17"	Yes	18	20	8.5	30	100/bale	53
BPH200	BASIC Chemical Pad	15"x17"	Yes	18	34	13.7	24	200/bale	53
BPH500	BASIC Chemical Pad	15"x17"	Yes	18	17	7	36	100/bale	53
BPO100	BASIC Oil Only Pad	15"x17"	Yes	18	20.5	8.5	30	100/bale	41
BPO200	BASIC Oil Only Pad	15"x17"	Yes	18	34	14	24	200/bale	41
BPO500	BASIC Oil Only Pad	15"x17"	Yes	18	17	7	36	100/bale	41
BPU100	BASIC Universal Pad	15"x17"	Yes	18	20.5	8.5	30	100/bale	23
BPU200	BASIC Universal Pad	15"x17"	Yes	18	34	13.7	24	200/bale	23
BPU500	BASIC Universal Pad	15"x17"	Yes	18	17	7	36	100/bale	23
BRH150	BASIC Chemical Roll	30"x150'	Yes	18	38	19.5	18	1/bale	53
BRH152	BASIC Chemical Roll	15"x150"	Yes	18	38	19.5	18	2/bale	53
BRO150	BASIC Oil Only Roll	30"x150"	Yes	14.5	38	19.5	18	1/bale	41
BRO152	BASIC Oil Only Roll	15"x150"	Yes	14.5	38	19.5	18	2/bale	41
BRU150	BASIC Universal Roll	30"x150'	Yes	14.5	38	19.5	18	1/bale	23
BRU152	BASIC Universal Roll	15"x150"	Yes	14.5	38	19.5	18	2/bale	23
BSC20	BASIC Universal SOC	3"x3.5'	-	15	40.5	24	24	20/case	59
BSC40	BASIC Universal SOC	3"x3.5'	-	15	84	47.5	12	40/case	59
BSCSK-CB	Economy Vehicle Spill Kit	-	-	-	7.75	7	50	1/each	100
BSM100	BSM Barrier Spill Mat	36"x100'	No	8	25	24	20	1/bale	67
CB305	Containment Boom	3' Float, 4.5' Skirt, 25' Sections	-	-	-	22.5	11	1/case	76
CB612	Containment Boom	6' Float, 12' Skirt, 100' Sections	-	-	-	200	3	1/case	76
CC400	Cobra Coil Universal SOC	3"x4'	-	8.5	8.5	29	48	12/case	59
CH15P	BRIGHTSORB Safety Roll	15"x150'	Yes	12.5	20	14	24	1/case	83
CH30DP	BRIGHTSORB Safety Roll	30"x150'	Yes	12.5	40	25	12	1/case	83
CH100	BRIGHTSORB Safety Pad	15"x19"	Yes	18	28	16	30	100/case	83
CH124	BRIGHTSORB Safety SOC	3"x12'	-	9	12	12	40	4/case	85
CH200	BRIGHTSORB Safety Pad	15"x19"	Yes	18	28	16	22	200/case	83
CH303	BRIGHTSORB Safety Roll	30"x300'	Yes	12.5	70	40	8	1/bale	83
CH412	BRIGHTSORB Safety SOC	3"x4'	-	9	12	12	40	12/case	85
CH1212	BRIGHTSORB Chemical Pad	12"x12"	Yes	12.5	30	14.5	30	200/case	51
CH1212-50	BRIGHTSORB Chemical Pad	12"x12"	Yes	12.5	7.5	4	72	50/case	51
CH1818	BRIGHTSORB Safety Pillow	18"x18"	-	12.5	14	9.5	15	16/case	85
CHBB15	BRIGHTSORB Barrier-Backed Mat	15"x100'	No	11.7	13	11	24	1/bale	84
CHBB30	BRIGHTSORB Barrier-Backed Mat	30"x100'	No	11.7	27	22	12	1/bale	84
CHBB100	BRIGHTSORB Barrier-Backed Mat	15"x19"	No	11.7	21	15.8	30	100/case	84
DGUARD9	Drain Guard	36" X 48" X 18"	-	-	0.9	1	36	1/case	89
DGUARD14	Drain Guard	36" X 48" X 18"	-	-	1.4	2	36	1/case	89
DGUARD910	Drain Guard	36" X 48" X 18"	-	-	9	10	20	10/case	89
DGUARD1410	Drain Guard	36" X 48" X 18"	-	-	14	20	20	10/case	89
DRIP1720-B	Drip Pad	17" x 20"	-	-	-	2	-	1/each	90
DRIP1720-Y	Drip Pad	17" x 20"	-	-	-	2	-	1/each	90

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.



# Part Number Index

Catalog	Type	Size	Perforated	Absorb. Factor (gl/gs)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity	Page
DPA24	Drip Pan	10" x 10"	-	-	-	6	20	24/case	90
DTA25	Oil Only Drum Cover	22" dia.	-	12.5	6	6	60	25/case	62
DTO25	Oil Only Drum Cover	22" dia.	-	12.5	6	6	60	25/case	62
DZ100	Universal Granular	40 lbs	-	1.5	8.5	1600	40	1 pallet	80
ENV50	ENV Oil Only Pad	30"x30"	No	20	50	19	14	50/bale	43
ENV100	ENV Oil Only Pad	15"x19"	No	20	33	12.5	30	100/bale	43
ENV150	ENV Oil Only Roll	30"x150'	No	15	44	22	18	1/bale	43
ENV200	ENV Oil Only Pad	15"x19"	No	23	51	16	24	200/bale	43
ENV300	ENV Oil Only Pad	15"x19"	No	18	23.2	10	30	100/bale	43
ENV500	ENV Oil Only Pad	15"x19"	No	23	24.5	8	30	100/bale	43
ENV510	ENV Oil Only Boom	5"x10'	-	12.6	32	19	20	4/bale	75
ENV810	ENV Oil Only Boom	8"x10'	-	13	65	38	12	4/bale	75
FW181804-Y	Foam Berm	18" x 18" x 4"	-	-	-	5	2	1/each	92
FW242404-Y	Foam Berm	24" x 24" x 4"	-	-	-	9	2.4	1/each	92
FW363604-Y	Foam Berm	36" x 36" x 4"	-	-	-	20	3.8	1/each	92
FW484804-Y	Foam Berm	48" x 48" x 4"	-	-	-	36	5.5	1/each	92
FW486004-Y	Foam Berm	48" x 60" x 4"	-	-	-	45	6.4	1/each	92
FW487204-Y	Foam Berm	48" x 72" x 4"	-	-	-	54	7.4	1/each	92
GP30	GP Universal Roll	30"x150'	No	13	48	28	12	1/bale	21
GP100	GP Universal Pad	15"x19"	Yes	18	30	11.5	30	100/case	21
GP200	GP Universal Pad	15"x19"	Yes	20	44	16	22	200/case	21
GP300	GP Universal Pad	15"x19"	Yes	20	25	10	30	100/bale	21
GP500	GP Universal Pad	15"x19"	Yes	20	22	8.2	30	100/case	21
HAZ99	Chemical Pillows	9"x9"	-	12.5	10	14	40	32/case	61
HAZ124	Chemical SOCs	3"x12'	-	9	12	12	40	4/case	60
HAZ412	Chemical SOCs	3"x4'	-	9	12	12	36	12/case	60
HAZ1818	Chemical Pillows	18"x18"	-	12.5	14	9.5	15	16/case	61
HT15	HT Universal Roll	15"x150'	Yes	12.5	23	16	24	1/case	25
HT30	HT Universal Roll	30"x150'	Yes	12.5	47	32	12	1/case	25
HT153	HT Universal Roll	15"x300'	Yes	12.5	32	20	16	1/bale	25
HT215	HT Universal Roll	15"x300'	Yes	12.5	21.5	15	16	1/bale	25
HT230	HT Universal Roll	30"x300'	Yes	12.5	42.5	29.5	8	1/bale	25
HT303	HT Universal Roll	30"x300'	Yes	12.5	63	40	8	1/bale	25
HT350	HT Universal Roll	30"x150'	Yes	12.5	35	20	12	1/bale	25
HT555	HT Universal Roll	15"x150'	Yes	12.5	23	16	24	1/case	25
HTBB15	HT Barrier-backed Mat	15"x100'	No	10.1	12	10	24	1/bale	69
HTBB30	HT Barrier-backed Mat	30"x100'	No	10.1	23	20	12	1/bale	69
HTBB100	HT Barrier-backed Mat	15"x19"	No	10.1	18	14.8	30	100/case	69
LROD101012	L-ROD Berm	10' x 10' x 12"	-	-	-	675	42	1/each	92
LROD101512	L-ROD Berm	10' x 15' x 12"	-	-	-	1010	57	1/each	92
LROD102012	L-ROD Berm	10' x 20' x 12"	-	-	-	1350	73	1/each	92
LROD151512	L-ROD Berm	15' x 15' x 12"	-	-	-	1520	78	1/each	92
LROD202012	L-ROD Berm	20' x 20' x 12"	-	-	-	2695	125	1/each	92
MRO15	MRO Plus Universal Roll	15"x150'	No	12.5	24	17.5	24	1/case	19
MRO15-DP	MRO Plus Universal Roll	15"x150'	Yes	12.5	24	17.5	24	1/case	19
MRO15P	MRO Plus Universal Roll	15"x150'	Yes	12.5	24	17.5	24	1/case	19
MRO30	MRO Plus Universal Roll	30"x150'	No	12.5	49	33	12	1/case	19
MRO30-DP	MRO Plus Universal Roll	30"x150'	Yes	12.5	49	32	12	1/case	19
MRO30P	MRO Plus Universal Roll	30"x150'	Yes	12.5	49	32	12	1/case	19
MRO50	MRO Plus Universal Pad	30"x30"	Yes	12.5	41	26.5	11	50/case	19
MRO100	MRO Plus Universal Pad	15"x19"	Yes	12.5	26	17.5	30	100/case	19
MRO100-2	MRO Plus Universal Pad	15"x19"	Yes	12.5	13.5	8	36	50/bale	19
MRO150DND	MRO Plus Universal Pad	15"x19"	Yes	12.5	39	27	18	150/case	19
MRO215P	MRO Plus Universal Roll	15"x150'	Yes	12.5	12	8	24	1/case	19

# Part Number Index

Catalog	Type	Size	Perforated	Absorb. Factor (gl/g)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity	Page
MRO300	MRO Plus Universal Pad	15"x19"	Yes	12.5	20.5	14	30	100/case	19
MRO315P	MRO Plus Universal Roll	15"x150'	Yes	12.5	20	14	24	1/case	19
MRO350-DP	MRO Plus Universal Roll	30"x150'	Yes	12.5	38	26.5	12	1/case	19
MS50	Re-Form Universal SOC	3"x4'	-	7	40	43	10	40/case	59
MS124	Re-Form Universal SOC	3"x12'	-	8.5	12	12	36	4/case	59
MS412	Re-Form Universal SOC	3"x4'	-	8.5	12	12	36	12/case	59
MS806	Re-Form Universal SOC	3"x8'	-	8.5	12	12	30	6/case	59
MXO1000	ENV Oil Only Pad	15"x19"	Yes	23	26	11	30	100/case	43
MXP-C20	BRIGHTSORB MAXX Pack	15.5"L x 19.5"W x 20.5"H	-	-	30	14	24	5/case	85
MXP-C20	MAXX Pack	15.5"L x 19.5"W x 20.5"H	-	-	30	14	24	5/case	97
MXP-O20	MAXX Pack	15.5"L x 19.5"W x 20.5"H	-	-	35	15	24	5/case	97
MXP-U20	MAXX Pack	15.5"L x 19.5"W x 20.5"H	-	-	30	14	24	5/case	97
MXU1000	GP Universal Pad	15"x19"	Yes	24	27	11	30	100/case	21
ODN08	Drag Net	30 nets on 50' rope	-	15	15	16	24	1/bale	76
OIL99	Oil Only Pillow	9"x9"	-	12.5	14	10	40	32/case	61
OIL124	Oil Only SOC	3"x12'	-	9	12	11	40	4/case	60
OIL412	Oil Only SOC	3"x4'	-	9	12	11	36	12/case	60
OIL430	Oil Only SOC	3"x4'	-	9	28	30	15	30/case	60
OIL806	Oil Only SOC	3"x8'	-	9	12	11	30	6/case	60
OIL1818	Oil Only Pillow	18"x18"	-	12.5	28	19	15	16/case	61
ON030	Oil Net	30 nets (no rope)	-	15	15	17	24	1/bale	76
OP15	Oil Plus Roll	15"x150'	No	12.5	24	17.5	24	1/case	37
OP15P	Oil Plus Roll	15"x150'	Yes	12.5	24	17.5	24	1/case	37
OP15-DP	Oil Plus Roll	15"x150'	Yes	12.5	24	17.5	24	1/case	37
OP30	Oil Plus Roll	30"x150'	No	12.5	49	33	12	1/case	37
OP30-DP	Oil Plus Roll	30"x150'	Yes	12.5	49	33	12	1/case	37
OP30P	Oil Plus Roll	30"x150'	Yes	12.5	49	33	12	1/case	37
OP50	Oil Plus Pad	30"x30"	Yes	12.5	41	24	11	50/case	37
OP100	Oil Plus Pad	15"x19"	Yes	12.5	26	17.5	30	100/case	37
OP150DND	Oil Plus Pad	15"x19"	Yes	12.5	39	27	18	150/case	37
OP300	Oil Plus Pad	15"x19"	Yes	12.5	20.5	14	30	100/case	37
OP315P	Oil Plus Roll	15"x150'	Yes	12.5	19	14	24	1/case	37
OP350-DP	Oil Plus Roll	30"x150'	Yes	12.5	38	26.5	12	1/case	37
PLUG2	Drain Plug	2" Plug	-	-	-	2	50	1/case	89
PLUG3	Drain Plug	3" Plug	-	-	-	3	50	1/case	89
PLUG4	Drain Plug	4" Plug	-	-	-	4	50	1/case	89
PLUG6	Drain Plug	6" Plug	-	-	-	6	50	1/case	89
PVC18	Slikstopper	18" x 18"	-	-	-	9	80	1/case	89
PVC24	Slikstopper	24" x 24"	-	-	-	14	40	1/case	89
PVC36	Slikstopper	36" x 36"	-	-	-	34	35	1/case	89
PVC42	Slikstopper	42" x 42"	-	-	-	46	20	1/case	89
RAG1818	Rag Rug Mat	18"x18"	No	9	38	32	24	50/case	72
RAG24150	Rag Rug Mat	24"X150	No	9	37	52	12	1/bale	72
RAG36150	Rag Rug Mat	36"x150'	No	9	55	47	6	1/bale	72
RF100	Re-Form Universal Pad	15"x19"	No	17.5	40	19	18	100/case	32
RF300	Re-Form Universal Pad	15"x19"	No	17.5	32	14.8	24	100/case	32
RF500	Re-Form Universal Pad	15"x19"	No	17.5	24	12	30	100/case	32
RFDP300	Re-Form XPlus Universal Pad	16"x18"	Yes	16.5	32	16.6	24	100/case	30
RFDP328-DP	Re-Form XPlus Universal Roll	28.5"x150'	Yes	16.5	55	33.3	8	1/case	30
RFGRANULAR	Re-Form Granular	30 lbs	-	1	16.7	1950	65	1 pallet	80
RFO412	Re-Form Oil Only SOC	3"x4'	-	13.5	15	10.5	36	12/case	60
RFODP100	Re-Form Oil Only Pad	15"x19"	Yes	30	39	12	18	100/case	46
RFP100	Re-Form Plus Universal Pad	15"x19"	Yes	17	40	19.5	18	100/case	31
RFP300	Re-Form Plus Universal Pad	15"x19"	Yes	17	32	16	24	100/case	31

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

# Part Number Index

Catalog	Type	Size	Perforated	Absorb. Factor (gl/gs)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity	Page
RFP314P	Re-Form Plus Universal Roll	14.25"x150'	Yes	17	30	15.5	20	1/case	31
RFP328-DP	Re-Form Plus Universal Roll	28.5"x150'	Yes	17	54	30.5	8	1/case	31
RFP500	Re-Form Plus Universal Pad	15"x19"	Yes	17	24	12.7	30	100/case	31
RFPP100	Re-Form Pro Plus Universal Pad	15"x19"	Yes	12.5	26	17.5	30	100/case	29
SB-1226	Vehicle Spill Berm	12' x 26' x 1'	-	-	-	-	112	1/each	92
SB-1236	Vehicle Spill Berm	12' x 36' x 1'	-	-	-	-	149	1/each	92
SC-4	Absorbent Center Casters	-	-	-	-	-	-	1 pack	93
SC-3000	Absorbent Center	50"W x 26"H x 21-1/2"D	-	-	-	50	15	1/each	93
SC-ACC	Absorbent Center Accessory Pack	-	-	-	-	-	-	1 pack	93
SC-Cart	Spill Control Cart	36 x 18 x 38-3/8	-	-	-	180	1	1/each	93
SC-Cart-HF	Spill Control Cart Fill	20" x 20" x 20"	-	-	-	31	8	1/each	93
SC-Cart-OF	Spill Control Cart Fill	20" x 20" x 20"	-	-	-	31	8	1/each	93
SC-Cart-UF	Spill Control Cart Fill	20" x 20" x 20"	-	-	-	31	8	1/each	93
SC-Cabinet	Spill Control Cabinet	19-7/8 x 14-1/4x 32-3/4	-	-	-	45	9	1/each	93
SC-Cabinet-HF	Spill Control Cabinet Fill	20" x 20" x 12"	-	-	-	21	12	1/each	93
SC-Cabinet-OF	Spill Control Cabinet Fill	20" x 20" x 12"	-	-	-	21	12	1/each	93
SC-Cabinet-UF	Spill Control Cabinet Fill	20" x 20" x 12"	-	-	-	21	12	1/each	93
SC-D15	Absorbent Center Dowel	15"	-	-	-	-	-	1 rod	93
SC-D40	Absorbent Center Dowel	40"	-	-	-	-	-	1 rod	93
SC-DK	Sump Drain Kit	-	-	-	-	2	100	1/case	91
SC-DP2	Spill Pallet	26"W X 52"L X 17"H	-	68	1,100	46.5	10	1/each	91
SC-DP4	Spill Pallet	52"W X 52"L X 17"H	-	128	2,200	89	10	1/each	91
SC-DPR	Spill Pallet Ramp	32.5"W X 70"L	-	-	650	47.5	3	1/each	91
SC-MB	Absorbent Center Wall Mount	-	-	-	-	-	-	1 each	93
SC-SD2	Spill Deck	26"W X 52"L X 6"H	-	21.2	2,500	31	15	1/each	91
SF-5BOOM	SpillFix Granular SOC	4" x 5'	-	4.5	6	16	48	4/case	79
SF-7	SpillFix Granular	7 lbs	-	4.5	2	900	124	1 pallet	79
SF-10BOOM	SpillFix Granular SOC	4" x 10'	-	4.5	6	20	48	2/case	79
SF-20	SpillFix Granular	20 lbs	-	4.5	7	995	48	1 pallet	79
SIR36	SIR Sorbent Industrial Rug	36"x300'	No	8.5	59	50	12	1/bale	71
SIR36150	SIR Sorbent Industrial Rug	36"x150'	No	12.5	45	25	18	1/bale	71
SK-CAMO	Camouflage Vehicle Spill Kits	-	-	-	11.5	9	50	1/each	100
SKA-20	20-Gallon Lab Pack	21"Dia. X 18"H	-	-	17	26	12	1/each	104
SKA20-R	20-Gallon Lab Pack Refill	-	-	-	17	13	16	1/each	104
SKA-20-RESCUE	20-Gallon Rescue Spill Kit	21"Dia. X 18"H	-	-	17	20	12	1/each	104
SKA-20-TAA	20-Gallon Lab Pack	21"Dia. X 18"H	-	-	17	26	12	1/each	104
SKA30	30-Gallon Spill Kit	21.125"Dia. X 28.5"H	-	-	36	41	12	1/each	105
SKA30-R	30-Gallon Spill Kit Refill	-	-	-	36	28	12	1/each	105
SKA30TAA	30-Gallon Spill Kit	21.125"Dia. X 28.5"H	-	-	36	41	12	1/each	105
SKA55	55-Gallon Drum	24"Dia. X 37"H	-	-	38	57	8	1/each	106
SKA55-R	55-Gallon Drum Refill	-	-	-	38	37	8	1/each	106
SKA55-TAA	55-Gallon Drum	24"Dia. X 37"H	-	-	38	56	8	1/each	106
SKA55W	55-Gallon Drum w/Wheels	23"Dia. X 37"H	-	-	38	57	8	1/each	106
SKA65	65-Gallon Spill Kit	31"Dia. X 33.5"H	-	-	63	100	3	1/each	107
SKA65-R	65-Gallon Spill Kit Refill	-	-	-	63	40	3	1/each	107
SKA65TAA	65-Gallon Spill Kit	31"Dia. X 33.5"H	-	-	63	100	3	1/each	107
SKA65W	65-Gallon Spill Kit w/Wheels	31"Dia. X 42"H	-	-	63	100	3	1/each	107
SKA-95	95-Gallon Overpack	31.5"Dia. X 35"H	-	-	75	107	2	1/each	108
SKA95-R	95-Gallon Overpack Refill	-	-	-	75	60	3	1/each	108
SKA-95W	95-Gallon Overpack w/Wheels	31.5"Dia. X 47"H	-	-	75	107	2	1/each	108
SKA-ATK	Attack Pak Spill Kit	20"L X 16"W X 4"H	-	-	7	36.5	24	4/case	97
SKA-ATK-TAA	Attack Pak Spill Kit	20"L X 16"W X 4"H	-	-	7	36.5	24	4/case	97
SKA-BKT	6.5-Gallon Spill Bucket	14"Dia. X 18"H	-	-	9	9	36	1/each	101
SKA-BKTACID	Acid Neutralizing Kit	14"Dia. X 18"H	-	-	4.5	16.5	36	1/each	102

# Part Number Index

Catalog	Type	Size	Perforated	Absorb. Factor (gl/gs)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity	Page
SKA-BKTBASE	Base Neutralizer Kit	14" Dia. X 18"H	-	-	4.5	16.5	36	1/each	102
SKA-BKT-TAA	6.5-Gallon Spill Bucket	14" Dia. X 18"H	-	-	9	9	36	1/each	101
SKA-BSC	BASIC Spill Kit	4.5"L x 15"W x 18"H	-	-	3	7	40	1/case	97
SKA-CFB	Emergency Response Kit	25.5"L x 17"W x 21.5"H	-	-	15	25	24	1/case	98
SKA-K2	Mobile Spill Kaddie	18"L X 17"W X 39"H	-	-	22	42	10	1/each	99
SKA-K2R	Mobile Spill Kaddie Refill	-	-	-	22	25	20	1/each	99
SKA-LT	Mobile Spill Truck - Large	47"L X 34"W X 43"H	-	-	134	164	1	1/each	109
SKA-PP	Economy Spill Kit	20"L X 16"W X 4"H	-	-	5	24	20	4/case	98
SKA-PP-TAA	Economy Spill Kit	20"L X 16"W X 4"H	-	-	5	24	20	4/case	98
SKA-TRK	Poly-Edge Mountable Spill Kit	35"H x 16"W x 16"D	-	-	20	40	12	1/each	100
SKA-SAK	Emergency Spill Sak	32"L X 20"W X 12"H	-	-	10	10	40	1/each	98
SKA-SRP	Spill Response Spill Kit	9.75" Dia. X 10.5"	-	-	4.5	2.5	48	1/each	99
SKA-XLT	Mobile Spill Truck - X-Large	57.5"L X 40.5"W X 47"H	-	-	184	221	1	1/each	109
SK-BATT	Battery Acid Spill Kit	14" Dia. X 18"H	-	-	9	9	36	1/each	102
SK-BF	Bodily Fluid Spill Kit	14" Dia. X 18"H	-	-	9	9	36	1/each	101
SKCH-20	BRIGHTSORB 20-Gallon Lab Pack	21" Dia. X 18"H	-	-	17	26	12	1/each	86
SKCH-55	BRIGHTSORB 55-Gallon Drum	24" Dia. X 37"H	-	-	38	52	8	1/each	86
SKCH-95	BRIGHTSORB 95-Gallon Overpack	31.5" Dia. X 35"H	-	-	75	104	2	1/each	86
SKCH-BKT	BRIGHTSORB 6.5-Gallon Bucket	14" Dia. X 18"H	-	-	9	8	36	1/each	86
SKCH-PP	BRIGHTSORB Economy Spill Kit	20"L X 16"W X 4"H	-	-	5	5	20	4/case	85
SK-FORM	Formaldehyde Spill Kit	14" Dia. X 18"H	-	-	9	9	36	1/each	103
SKH-20	20-Gallon Lab Pack	21" Dia. X 18"H	-	-	17	26	12	1/each	104
SKH20-R	20-Gallon Lab Pack Refill	-	-	-	17	13	16	1/each	104
SKH-20-RESCUE	20-Gallon Rescue Spill Kit	21" Dia. X 18"H	-	-	17	20	12	1/each	104
SKH30	30-Gallon Spill Kit	21.125" Dia. X 28.5"H	-	-	36	41	12	1/each	105
SKH30-R	30-Gallon Spill Kit Refill	-	-	-	36	28	12	1/each	105
SKH55	55-Gallon Drum	24" Dia. X 37"H	-	-	38	52	8	1/each	106
SKH55-R	55-Gallon Drum Refill	-	-	-	38	37	8	1/each	106
SKH55W	55-Gallon Drum w/Wheels	23" Dia. X 37"H	-	-	38	52	8	1/each	106
SKH65	65-Gallon Spill Kit	31" Dia. X 33.5"H	-	-	63	100	3	1/each	107
SKH65-R	65-Gallon Spill Kit Refill	-	-	-	63	40	3	1/each	107
SKH65W	65-Gallon Spill Kit w/Wheels	31" Dia. X 42"H	-	-	63	100	3	1/each	107
SKH-95	95-Gallon Overpack	31.5" Dia. X 35"H	-	-	75	104	2	1/each	108
SKH95-R	95-Gallon Overpack Refill	-	-	-	75	60	3	1/each	108
SKH-95W	95-Gallon Overpack w/Wheels	31.5" Dia. X 47"H	-	-	75	104	2	1/each	108
SKH-ATK	Attack Pak Spill Kit	20"L X 16"W X 4"H	-	-	7	25	24	4/case	97
SKH-BKT	6.5-Gallon Spill Bucket	14" Dia. X 18"H	-	-	9	8	36	1/each	101
SKH-CFB	Emergency Response Kit	25.5"L x 17"W x 21.5"H	-	-	15	25	24	1/case	98
SKH-K2	Mobile Spill Kaddie	18"L X 17"W X 39"H	-	-	22	42	10	1/each	99
SKH-K2R	Mobile Spill Kaddie Refill	-	-	-	22	25	20	1/each	99
SKH-PP	Economy Spill Kit	20"L X 16"W X 4"H	-	-	5	24	20	4/case	98
SKH-SAK	Emergency Spill Sak	32"L X 20"W X 12"H	-	-	10	10	40	1/each	98
SKH-SRP	Spill Response Spill Kit	9.75" Dia. X 10.5"	-	-	4.5	2.5	48	1/each	99
SK-MERC	Mercury Spill Kit	14" Dia. X 18"H	-	-	9	9	36	1/each	103
SKM-LT	Mobile Spill Truck - Large	47"L X 34"W X 43"H	-	-	169	164	1	1/each	109
SKM-XLT	Mobile Spill Truck - X-Large	57.5"L X 40.5"W X 47"H	-	-	282	258	1	1/each	109
SKMA-20	20-Gallon Mixed Spill Kit	21" Dia. X 18"H	-	-	17	20	12	1/each	104
SKMA-30	30-Gallon Mixed Spill Kit	21.125" Dia. X 28.5"H	-	-	29	41	12	1/each	105
SKMA-55	55-Gallon Mixed Drum	24" Dia. X 37"H	-	-	46	52	8	1/each	106
SKMA-55W	55-Gallon Mixed Drum w/Wheels	23" Dia. X 37"H	-	-	46	52	8	1/each	106
SKMA-65	65-Gallon Mixed Drum	31" Dia. X 33.5"H	-	-	65	100	3	1/each	107
SKMA-65W	65-Gallon Mixed Drum w/Wheels	31" Dia. X 42"H	-	-	65	100	3	1/each	107
SKMA-95	95-Gallon Mixed Overpack	31.5" Dia. X 35"H	-	-	77	107	2	1/each	108
SKMA-95W	95-Gallon Mixed w/Wheels	31.5" Dia. X 47"H	-	-	77	107	2	1/each	108

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

# Part Number Index

Catalog	Type	Size	Perforated	Absorb. Factor (g/g)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity	Page
SKO-20	20-Gallon Lab Pack	21"Dia. X 18"H	-	-	17	26	12	1/each	104
SKO20-R	20-Gallon Lab Pack Refill	-	-	-	17	13	16	1/each	104
SKO-20-RESCUE	20-Gallon Rescue Spill Kit	21"Dia. X 18"H	-	-	17	20	12	1/each	104
SKO30	30-Gallon Spill Kit	21.125"Dia. X 28.5"H	-	-	36	41	12	1/each	105
SKO30-R	30-Gallon Spill Kit Refill	-	-	-	36	26	12	1/each	105
SKO55	55-Gallon Drum	24"Dia. X 37"H	-	-	38	56	8	1/each	106
SKO55-R	55-Gallon Drum Refill	-	-	-	38	37	8	1/each	106
SKO55W	55-Gallon Drum w/Wheels	23"Dia. X 37"H	-	-	38	56	8	1/each	106
SKO65	65-Gallon Spill Kit	31"Dia. X 33.5"H	-	-	63	100	3	1/each	107
SKO65-R	65-Gallon Spill Kit Refill	-	-	-	63	40	3	1/each	107
SKO65W	65-Gallon Spill Kit w/Wheels	31"Dia. X 42"H	-	-	63	100	3	1/each	107
SKO-95	95-Gallon Overpack	31.5"Dia. X 35"H	-	-	75	107	2	1/each	108
SKO95-R	95-Gallon Overpack Refill	-	-	-	75	60	3	1/each	108
SKO-95W	95-Gallon Overpack w/Wheels	31.5"Dia. X 47"H	-	-	75	107	2	1/each	108
SKO-ATK	Attack Pak Spill Kit	20"L X 16"W X 4"H	-	-	7	23	24	4/case	97
SKO-BKT	6.5-Gallon Spill Bucket	14"Dia. X 18"H	-	-	9	9	36	1/each	101
SKO-BSC	BASIC Spill Kit	4.5"L x 15"W x 18"H	-	-	3	7	40	1/case	97
SKO-CFB	Emergency Response Kit	25.5"L x 17"W x 21.5"H	-	-	15	25	24	1/case	98
SKO-K2	Mobile Spill Kaddie	18"L X 17"W X 39"H	-	-	22	42	10	1/each	99
SKO-K2R	Mobile Spill Kaddie Refill	-	-	-	22	25	20	1/each	99
SKO-LT	Mobile Spill Truck - Large	47"L X 34"W X 43"H	-	-	126	185	1	1/each	109
SKO-PP	Economy Spill Kit	20"L X 16"W X 4"H	-	-	5	24	20	4/case	98
SKO-TRK	Poly-Edge Mountable Spill Kit	35"H x 16"W x 16"D	-	-	20	40	12	1/each	100
SKO-SAK	Emergency Spill Sak	32"L X 20"W X 12"H	-	-	10	10	40	1/each	98
SKO-SRP	Spill Response Spill Kit	9.75"Dia. X 10.5"	-	-	4.5	2.5	48	1/each	99
SKO-XLT	Mobile Spill Truck - X-Large	57.5"L X 40.5"W X 47"H	-	-	174	221	1	1/each	109
SKR-ATK	Attack Pak Spill Kit	20"L X 16"W X 4"H	-	-	7	36.5	24	4/case	97
SKR-PP	Economy Spill Kit	20"L X 16"W X 4"H	-	-	5	24	20	4/case	98
SPC10	Marine Pillow	14"x25"	-	12.5	52	30	10	10/bale	76
SPC50	SPC Oil Only Pad	33"x39"	No	18	73	33.5	10	50/bale	39
SPC100	SPC Oil Only Pad	15"x19"	Yes	18	35	14	30	100/bale	39
SPC105	SPC Oil Only Pad	15"x19"	Yes	18	24	14	30	100/bale	39
SPC150	SPC Oil Only Roll	38"x144"	No	15	70	33	18	1/bale	39
SPC152	SPC Oil Only Roll	19"x144"	No	15	70	33	18	2/bale	39
SPC200	SPC Oil Only Pad	15"x19"	Yes	18	51	16	24	200/bale	39
SPC300	SPC Oil Only Pad	15"x19"	Yes	18	30	11	30	100/bale	39
SPC500	SPC Oil Only Pad	15"x19"	Yes	18	20	8.2	36	100/bale	39
SPC510	SPC Oil Only Boom	5"x10'	-	12.6	32	19	20	4/bale	75
SPC518	SPC Oil Only Boom	5"x18"	-	12.6	12	8	36	10/bale	75
SPC810	SPC Oil Only Boom	8"x10'	-	13.3	71	40	12	4/bale	75
SPC818	SPC Oil Only Boom	8"x18"	-	12.5	28	17	16	10/bale	75
SPC1900	Marine Sweep	19"x100'	-	15	26	13	30	1/bale	76
SPC5510	SPC Oil Only Boom	5"x10'	-	12.1	32	19	20	4/bale	75
SPC-ACID	Acid Neutralizer	2lb	-	-	0.65	2	1200	1/each	80
SPC-BASE	Base Neutralizer	2lb	-	-	0.65	2	1200	1/each	80
SPCUN810	Chemical Boom	8"x10'	-	13.3	71	19	12	4/bale	75
SPCUN510	Chemical Boom	5"x10'	-	12.6	32	19	20	4/bale	75
SPCUN1019	Universal Plus Chemical Roll	15"x150'	Yes	12.5	39	24	12	2/case	52
SPCUN1113	Universal Plus Chemical Pad	12"x12"	No	12.5	20	16	30	200/case	52
SPCUN1719	Universal Plus Chemical Pad	15"x19"	Yes	12.5	20.5	14.5	30	100/case	52
SPCUN3800	Universal Plus Chemical Roll	30"x150'	Yes	12.5	39	27	12	1/case	52
SR100	Static Resistant Oil Pad	15" x19"	No	13	26	14.5	30	100/bale	44
SR3600	Static Resistant Oil Roll	30"x150'	No	15	44	22	18	1/bale	44
SR3625	Static Resistant Oil Pad	30"x30"	No	13	16	9	14	25/bale	44

# Part Number Index

Catalog	Type	Size	Perforated	Absorb. Factor (gl/gs)	Absorb. Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity	Page
SRP75P	Spill Response Plus Universal Roll	7.5" x 50'	Yes	12.5	3.3	1.85	60	1/bale	27
SRP100	Spill Response Plus Universal Pad	7.5"x10"	No	12.5	5.5	4	96	100/case	27
SRP200	Spill Response Plus Universal Pad	7.5"x10"	No	12.5	11.1	7.5	48	200/case	27
SRPH75P	Spill Response Plus Chemical Roll	7.5" x 50'	Yes	12.5	3.3	1.85	60	1/bale	54
SRPH100	Spill Response Plus Chemical Pad	7.5"x10"	No	12.5	5.5	4	96	100/case	54
SRPH200	Spill Response Plus Chemical Pad	7.5"x10"	No	12.5	11.1	7.5	48	200/case	54
SRPO75P	Spill Response Plus Oil Roll	7.5" x 50'	Yes	12.5	3.3	1.85	60	1/bale	45
SRPO100	Spill Response Plus Oil Pad	7.5"x10"	No	12.5	5.5	4	96	100/case	45
SRPO200	Spill Response Plus Oil Pad	7.5"x10"	No	12.5	11.1	7.5	48	200/case	45
SW46	SLIKWIK Universal SOC	3"x3.5'	-	3	20	50	16	40/case	59
SXT15P	SXT Oil Only Roll	15"x150'	Yes	12	18	14	24	1/case	42
SXT30DP	SXT Oil Only Roll	30"x150'	Yes	12	37	26.5	12	1/case	42
SXT100	SXT Oil Only Pad	15"x19"	Yes	12	19.5	14.5	30	100/case	42
SXT200	SXT Oil Only Pad	15"x19"	Yes	12	31.5	18	22	200/case	42
SXT300	SXT Oil Only Pad	15"x19"	Yes	12	17	10	30	100/case	42
TAMPER	Tamper Proof Label	3.5" x 5"	-	-	-	-	-	5/pack	103
TM19	TrackMat Matting	19"x80'	No	9	26	32	18	2/bale	70
TM29	TrackMat Matting	29"x80'	No	9	20	24	18	1/bale	70
TM58	TrackMat Matting	58"x80'	No	9	55	34	9	1/bale	70
UXT15P	UXT Xtra Tough Universal Roll	15"x150'	Yes	11	17	14.5	24	1/case	26
UXT30DP	UXT Xtra Tough Universal Roll	30"x150'	Yes	11	37	27.5	12	1/case	26
UXT100	UXT Xtra Tough Universal Pad	15"x19"	Yes	11	19.5	14.5	30	100/case	26
UXT200	UXT Xtra Tough Universal Pad	15"x19"	Yes	11	31.5	18.5	22	200/case	26
UXT300	UXT Xtra Tough Universal Pad	15"x19"	Yes	11	17	12	30	100/case	26

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

## Product Index

20-Gallon Lab Pack.....	104
20-Gallon Rescue Spill Kit.....	104
30-Gallon Spill Kit.....	105
55-Gallon Drum.....	106
6.5-Gallon Spill Bucket.....	101
65-Gallon Mixed Drum.....	107
95-Gallon Overpack.....	108

### A

Absorbent Center.....	93
Acid Neutralizer.....	80
Acid Neutralizing Kit.....	102
ALLWIK Universal SOC.....	59
Attack Pak Spill Kit.....	97

### B

Barrier Spill Mat.....	67
Base Neutralizer.....	80
Base Neutralizer Kit.....	102
BASIC Chemical Pad.....	53
BASIC Chemical Roll.....	53
BASIC Oil Only Pad.....	41
BASIC Oil Only Roll.....	41
BASIC Spill Kit.....	97
BASIC Universal Pad.....	23
BASIC Universal Roll.....	23
BASIC Universal SOC.....	59
Battery Acid Spill Kit.....	102
BattleMat Universal Roll.....	24
Bodily Fluid Spill Kit.....	101
BRIGHTSORB Barrier-Backed Mat.....	68
BRIGHTSORB Chemical Pad.....	51
BRIGHTSORB Chemical Roll.....	51
BRIGHTSORB Pillow.....	61
BRIGHTSORB Safety Pad.....	83
BRIGHTSORB Safety Roll.....	83
BRIGHTSORB SOC.....	60
BRIGHTSORB Spill Kit.....	85

### C

Chemical Absorbency.....	47
Chemical Boom.....	75
Chemical Pillows.....	61
Chemical SOC's.....	60
Cobra Coil Universal SOC.....	59
Containment Boom.....	76

### D

Drag Net.....	76
Drain Guard.....	89
Drain Plug.....	89
Drip Pad.....	90
Drip Pan.....	90
Drum Covers.....	62

### E

Economy Spill Kit.....	98
Emergency Response Kit.....	98
Emergency Spill Sak.....	98
ENV Oil Only Boom.....	75
ENV Oil Only Pad.....	43
ENV Oil Only Roll.....	43

### F

Foam Berm.....	92
Formaldehyde Spill Kit.....	103

### G

GP Universal Pad.....	21
GP Universal Roll.....	21
Granular.....	77

### H

HT Barrier-backed Mat.....	69
HT Universal Roll.....	25

### L

L-ROD Berm.....	92
Learning Center.....	4

### M

Marine Pillow.....	76
Marine Sweep.....	76
Mats.....	63
MAXX Pack.....	97
Mercury Spill Kit.....	103
Mobile Spill Kaddie.....	99
Mobile Spill Truck.....	109
MRO Plus Universal Pad.....	19
MRO Plus Universal Roll.....	19

### N

Neutralizers.....	77
-------------------	----

### O

Oil Net.....	76
Oil Only Absorbency.....	33
Oil Only Drum Cover.....	62
Oil Only Pillow.....	61
Oil Only SOC.....	60
Oil Plus Pad.....	37
Oil Plus Roll.....	37

### P

Pillows.....	61
Poly-Edge Mountable Spill Kit.....	100

### R

Rag Rug Mat.....	72
Re-Form Granular.....	80
Re-Form Oil Only Pad.....	46
Re-Form Oil Only SOC.....	60
Re-Form Universal Pad.....	31
Re-Form Universal Roll.....	31
Re-Form Universal SOC.....	59
Rugs.....	63

### S

Safety Absorbents.....	81
SIR Sorbent Industrial Rug.....	71
Slikstopper.....	89
SLIKWIK Universal SOC.....	59
SOCs.....	55
SPC Oil Only Boom.....	75
SPC Oil Only Pad.....	39
SPC Oil Only Roll.....	39
SPCC Plan.....	6
Spill Containment.....	87
Spill Control Cabinet.....	93
Spill Control Cart.....	93
Spill Deck.....	91
Spill Kits.....	95
Spill Magnet.....	89
Spill Pallet.....	91
Spill Procedure Guide.....	96
Spill Response Plus Chemical Pad.....	54
Spill Response Plus Chemical Roll.....	54
Spill Response Plus Oil Pad.....	45
Spill Response Plus Oil Roll.....	45
Spill Response Plus Universal Pad.....	27
Spill Response Plus Universal Roll.....	27
Spill Response Spill Kit.....	99
SpillFix Granular.....	79
Static Resistant Oil Pad.....	44
Static Resistant Oil Roll.....	44
SXT Oil Only Pad.....	42
SXT Oil Only Roll.....	42

### T


Tamper Proof Label.....	103
TOUGHSORB Adhesive Mats.....	66
TrackMat Matting.....	70

### U

Universal Absorbency.....	15
Universal Granular.....	80
Universal Pillow.....	61
Universal Plus Chemical Pad.....	52
Universal Plus Chemical Roll.....	52
UXT Xtra Tough Universal Pad.....	26
UXT Xtra Tough Universal Roll.....	26

### V

Vehicle Spill Berm.....	92
Vehicle Spill Kit.....	100



## We're Here For You

With nearly 40 years of experience, an expert sales team at the ready and strategic warehouses positioned around the United States, Brady SPC is here to make sure you have the spill products you need, when you need them.

## Request a Free Absorbent Sample Pack

[BradyID.com/SPC](http://BradyID.com/SPC)

Brady warrants only to the buyer that the products and parts set forth herein will be free from defects in material and workmanship from the date of purchase for a period of one year. Brady's sole obligation under the above warranty shall be to repair or replace the defective products or parts during the warranty period. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GIVEN, AND BRADY EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, INCLUDING AND WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. All statements, technical information, or recommendations relating to the products or parts are based upon tests believed to be reliable, but do not constitute a guaranty or warranty. BRADY SHALL NOT UNDER ANY CIRCUMSTANCES WHATSOEVER BE LIABLE TO ANY PARTY FOR LOSS OF PROFITS, DIMINUTION OF GOOD WILL, OR ANY OTHER SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES WHATSOEVER WITH RESPECT TO ANY CLAIM IN CONNECTION WITH BRADY PRODUCTS AND/OR PARTS. Brady's maximum liability for warranty claims is limited to the invoice price of the product or price claimed defective. PRICES AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. In an effort to reduce shipping costs for our customers, pallet quantities may vary.

### USA

Customer Service: 1-888-272-3946

Inside Sales: 1-888-311-0775

[BradyID.com](http://BradyID.com)

### Canada

Customer Service: 1-800-263-6179

[BradyCanada.ca](http://BradyCanada.ca)

### Mexico

Customer Service: 1-800-262-7777

Inside Sales: 1-800-262-7777 ext 177

[BradyLatinAmerica.com](http://BradyLatinAmerica.com)



Y4416680 MS4416680

© 2017 Brady Worldwide Inc. ALL RIGHTS RESERVED

 **BRADY**<sup>®</sup>  
WHEN PERFORMANCE MATTERS MOST™